

## TABLE OF CONTENTS

### No. 1 January-February

The major groups of Basidiomycetes, ROBERT L. SHAFFER .....	1
Nova Scotian Inocybes. III, D. W. GRUND AND D. E. STUNTZ .....	19
Taxonomic studies in the Myxomycetes. IV. <i>Protophysarum phloiogenum</i> , a new genus and species of Physaraceae, MEREDITH BLACKWELL AND CONSTANTINE J. ALEXOPOULOS .....	32
Comparison of <i>Fusarium</i> populations in grasslands of Minnesota and Iceland, THOR KOMMEDAHL, CAROL E. WINDELS, AND D. S. LANG .....	38
Genetics of <i>Sordaria fimicola</i> . VIII. Nitrosoguanidine mutagenesis and iso- lation of protoperithecial mutants, K. K. JHA AND L. S. OLIVE .....	45
The identity and perfect state of <i>Colletotrichum graminicola</i> , DEMETRIOS J. POLITIS .....	56
Relationships between coprophilous fungi and fecal substrates in a Colorado grassland, SR. KATHLEEN ANGEL, C.D.P., AND D. T. WICKLOW .....	63
New species and a new combination of <i>Tricholoma</i> (Agaricales) from the Pacific Northwest, CLARK OVREBO AND EDMUND E. TYLUTKI .....	75
Effects of temperature, relative humidity, and desiccation on germination of <i>Nectria galligena</i> conidia, H. J. DUBIN AND HARLEY ENGLISH .....	83
Types of abnormal apothecia produced by <i>Sclerotinia sclerotiorum</i> , B. D. KOSASIH AND H. J. WILLETTS .....	89
Mating types in five isolates of <i>Physarum polycephalum</i> , O'NEIL RAY COLLINS .....	98
Aquatic fungi of Iceland: Comparative morphology of <i>Achlya radiosa</i> , <i>A.</i> <i>pseudoradiosa</i> , and <i>A. stellata</i> , T. W. JOHNSON, JR., A. L. ROGERS, AND E. S. BENEKE .....	108
<i>Zygopolaris</i> , a new genus of Trichomycetes producing zygosporis with polar attachment, STEPHEN T. MOSS, ROBERT W. LICHTWARDT, AND J.-F. MANIER .....	120
<i>Typhula erythropus</i> : II. Sclerotial germination and basidiocarp production, R. E. KOSKE .....	128
Studies of some Tremellaceae. V. A new genus, <i>Efibulobasidium</i> , KENNETH WELLS .....	147

### Brief Articles

TABER AND PETTIT on thermophilic microorganisms in peanuts .....	157
DUMONT on the generic name <i>Pachydisca</i> .....	161
STACK ET AL. on preservation of basidiospores of <i>Laccaria laccata</i> .....	167
HASSELBRING ET AL. on fungi associated with growing stalagmites .....	171
BROOKS on dolipore septa in <i>Nia vibrissa</i> and <i>Digitatispora marina</i> .....	172
CUMMINS on three western rust fungi .....	175
BREEN AND GOLDSTEIN on marine phycomycete isolate "S-3" .....	177
PFISTER on <i>Aleuria annamitica</i> , a synonym of <i>Pachyella adnata</i> .....	181
BOBBITT AND CRANG on the two varieties of <i>Panus tigrinus</i> .....	182
BARR on <i>Pestalospheeria</i> , a new genus of Amphisphaeriaceae .....	187
MISLIVEC on effect of botran on fascicle production in <i>Penicillium</i> .....	194
Reviews .....	199

### No. 2 March-April

Helen Margaret Gilkey, 1886-1972, JAMES M. TRAPPE .....	207
The peat mould, <i>Chromelosporium ollare</i> , conidial state of <i>Peziza ostraco-</i> <i>derma</i> , and its misapplied names, <i>Botrytis crystallina</i> , <i>Botrytis spectabilis</i> , <i>Ostracoderma epigaeanum</i> and <i>Peziza atrovinosa</i> , G. L. HENNEBERT AND RICHARD P. KORF .....	214

Ascomycarp ontogeny and imperfect state of <i>Thecotheus</i> (Pezizales, Ascomycetes), KENNETH E. CONWAY .....	241
The ontogeny of <i>Lasiobolus citiatus</i> (Pezizales, Ascomycetes), KENNETH E. CONWAY .....	253
A new species of <i>Catenaria</i> parasitic in midge eggs, W. WALLACE MARTIN ..	264
<i>Mundkurella mossii</i> , a smut of <i>Aralia nudicaulis</i> , D. B. O. SAVILE .....	273
Quantitative effects of incorporating rice residue on populations of soil microflora, R. KEIM, R. K. WEBSTER, AND C. M. WICK .....	280
A new species of <i>Eleutherascus</i> from Peruvian soil, L. H. HUANG .....	293
Influence of nutrients and substrata on formation of strands and sclerotia by <i>Phymatotrichum omnivorum</i> , H. E. BLOSS AND J. E. WHEELER .....	303
Mushrooms and the Yoruba people of Nigeria, B. A. OSO .....	311
Sclerotiniaceae IX. <i>Coprotonia</i> , K. P. DUMONT .....	320
Some three-dimensional aspects of <i>Ceratocystis ulmi</i> as observed by high-voltage electron microscopy, JAMES L. HARRIS .....	332
Synergistic color variants of <i>Aureobasidium pullulans</i> , L. J. WICKERHAM AND C. P. KURTZMAN .....	342
Continuous versus limited growth of fungi, J. T. KLEJUNAS AND W. H. KO .....	362
Ultrastructure of ascus, ascospore and ascocarp in <i>Neurospora lineolata</i> , HANS R. HOHL AND WALTRAUD STREIT .....	367
Host-parasite relations in a mycoparasite III. Morphological and biochemical differences in the parasitic- and axenic-culture spores of <i>Piptocephalis virginiana</i> , M. S. MANOCHA .....	382
Aflatoxin occurrence in some white corn under loan, 1971: IV. Mold flora. C. W. HESSELTINE, R. J. BOTHAST, AND ODETTE L. SHOTWELL .....	392

#### Brief Articles

TANSEY AND APPLETON on inhibition of fungal growth by garlic extract	409
BRATTENG on <i>Comatricha orthotricha</i> , a new species of myxomycete ....	413
STATES on intrahyphal growth of <i>Glocephyllum saccharum</i> .....	417
KLEJUNAS AND KO on direct observation of nematode trapping by fungi	420
JONG AND ROXON on <i>Conioscypha</i> and <i>Cylicogone</i> .....	424
HO on zoospores of a <i>Saprolegnia</i> species .....	425
HOMOLA AND SHAFFER on a new <i>Russula</i> .....	428
MORGANTI ET AL. on <i>Nannizzia grubyia</i> from an Italian cat .....	434
BAXTER on Brazilian species of <i>Ravenelia</i> .....	436
Reviews .....	438

#### No. 3 May-June

Albert Pilát (1903-1974), ROLF SINGER .....	445
The myxomycete taxa described by Charles Meylan, DONALD T. KOWALSKI	448
Taxonomy of <i>Corticium chrysocreas</i> and <i>Phlebia livida</i> , FRANCES F. LOMBARD, HAROLD H. BURDSALL, JR., AND ROBERT L. GILBERTSON .....	495
Genetic investigations with <i>Dipodascus uninucleatus</i> , R. W. TUVESON AND L. T. CHANG .....	511
Formation of gamma particles during zoosporogenesis in <i>Blastocladiella emersonii</i> , W. E. BARSTOW AND J. S. LOVETT .....	518
<i>Lopharia</i> , A. L. WELDEN .....	530
Observations on chytridiaceous parasites of phanerogams. XXIII. Notes on <i>Physoderma</i> , F. K. SPARROW .....	552
Sclerotiniaceae X. <i>Ciboriella</i> , a taxonomic synonym of <i>Lanzia</i> , K. P. DUMONT	569
Studies of <i>Disciseda</i> (Gasteromycetes) in Colorado, D. H. MITCHEL, SHIRLEY W. CHAPMAN, AND GEORGE GRIMES .....	586
The use of solid media for detection of enzyme production by fungi, LESTER HANKIN AND S. L. ANAGNOSTAKIS .....	597
The cellulolytic and amylolytic activity of <i>Papulaspora thermophila</i> , E. S. CHAPMAN, E. EVANS, M. C. JACOBELLI, AND A. A. LOGAN .....	608
The genus <i>Diacheopsis</i> , DONALD T. KOWALSKI .....	616

## TABLE OF CONTENTS

v

Biology and geographical distribution of <i>Spathulospora</i> species, JAN AND ERIKA KOHLMAYER .....	629
A light and electron microscopic study of stalk formation in the myxomycete <i>Arcyria cinerea</i> , CHARLES W. MIMS AND MILTON A. ROGERS .....	638
Brief Articles	
SOMMER AND BERAHA on <i>Diaporthe actinidiae</i> .....	650
CHARUDATTAN AND CONWAY on the waterhyacinth rust .....	653
ROGERS on the ascospore of <i>Hypoxylon glycyrrhiza</i> .....	657
HENDRIX on cholesterol uptake and metabolism .....	663
CRANE AND SCHOKNECHT on revisions of <i>Torula</i> species .....	666
MITCHELL AND SMITH on <i>Hygrophorus amarus</i> .....	672
LEACH AND PAPA on identification of diploids of <i>Aspergillus flavus</i> ....	674
KUHLMAN on zygospore formation in <i>Mortierella</i> species .....	678
Reviews .....	682
Briefly Noted .....	687

## No. 4 July-August 1975

Fungi occurring in freshly harvested and in-market pecans, L. H. HUANG AND R. T. HANLIN .....	689
Antifungal properties of the insect alarm pheromones, citral, 2-heptanone, and 4-methyl-3-heptanone, LARRY K. COLE, MURRAY S. BLUM, AND RONALD W. RONCADORI .....	701
<i>Fusarium oxysporum</i> forma specialis <i>voandzeiae</i> , a new form species causing wilt of Bambara groundnut, G. M. ARMSTRONG, JOANNE K. ARMSTRONG, AND R. V. BILLINGTON .....	709
Two new species of <i>Ceratocystis</i> , T. E. HINDS AND R. W. DAVIDSON .....	715
The effects of nutrients and temperature on germination and viability of the ascospores of <i>Chaetomium rectopilum</i> , C. L. FERGUS AND CHRISTINE J. DELWICHE .....	722
Swarm cell ultrastructure in <i>Ceratiomyxa fruticulosa</i> , RODNEY K. NELSON AND RAYMOND W. SCHEETZ .....	733
Ecological studies of hypogeous fungi. I. Coleoptera associated with sporocarps, ROBERT FOGEL AND STEWART B. PECK .....	741
On homo- and heterothallism in <i>Schizosaccharomyces pombe</i> , HERBERT GUTZ AND FRANK J. DOE .....	748
The ultrastructure of the formation of chains of conidia in <i>Memnioniella echinata</i> , R. CAMPBELL .....	760
A new pathogenic species of <i>Aspergillus</i> in the <i>Aspergillus fumigatus</i> series, K. J. KWON-CHUNG .....	770
Growth and sporulation of thermophilic fungi and actinomycetes in O <sub>2</sub> -N <sub>2</sub> atmospheres, J. J. DEPLOY AND C. L. FERGUS .....	780
Prodromus for a revision of <i>Ceratocystis</i> (Microascales, Ascomycetes) and its conidial states, H. P. UPADHYAY AND W. B. KENDRICK .....	798
Some effects of zinc on the utilization of carbon sources by <i>Monascus purpureus</i> , GEORGE T. JOHNSON AND FRANK MCHAN .....	806
New North American species of <i>Marasmius</i> , MARTINA S. GILLIAM .....	817
New sources of fungal dextranase, LLOYD G. SIMONSON AND ANTHONY E. LIBERTA .....	845
Fire as an environmental cue initiating ascomycete development in a tall-grass prairie, D. T. WICKLOW .....	852
<i>Syncephalis californica</i> , a mycoparasite inducing giant hyphal swellings in species of Mucorales, WILLIAM E. HUNTER AND EDWARD E. BUTLER ....	863
Brief Articles	
DYKSTRA AND OLIVE on <i>Soridiophrys</i> .....	873
JOHNSON ET AL. on <i>Galerina hypnorum</i> .....	879
APPLETON AND TANSEY on inhibition of zoopathogenic fungi by garlic extract .....	882

Ho AND TRAPPE on nitrate reduction by vesicular-arbuscular mycorrhizal fungi .....	886
Goos on production of secondary conidia by <i>Helicoma proliferans</i> .....	888
Reviews .....	892
Briefly Noted .....	896

## No. 5 September-October

Anna Eliza Jenkins 1886-1972, MURIEL J. O'BRIEN .....	899
The species of <i>Bourdottia</i> and <i>Basidioidendron</i> (Tremellaceae) of the U.S.S.R., K. WELLS AND A. RAITVILIR .....	904
<i>Aphanomyces sexualis</i> , a new parasite of midge eggs, W. WALLACE MARTIN .....	923
The genus <i>Fischerula</i> (Tuberales), JAMES M. TRAPPE .....	934
Budding in the dimorphic fungus <i>Cladosporium werneckii</i> , R. A. GUSTAFSON, R. V. HARDCASTLE, AND P. J. SZANISZLO .....	942
Fatty acid composition of ectomycorrhizal fungi in vitro, J. H. MELHUISH, JR., E. HACSKAYLO AND G. A. BEAN .....	952
Ultrastructural studies on <i>Thermomyces lanuginosa</i> and certain other closely related thermophilic fungi, ROBERT G. GARRISON, KAREN S. BOYD, AND JAMES W. LANE .....	961
The genus <i>Octospora</i> and its typification, K. B. KHARE AND V. P. TEWARI .....	972
Perfect state ( <i>Emmonsella capsulata</i> ) of the fungus causing large-form African histoplasmosis, K. J. KWON-CHUNG .....	980
Additional neotropical Tremellales, B. LOWY .....	991
The taxonomic status of <i>Badhamia ovispora</i> : a myxomycete with unique spores, HAROLD W. KELLER, HENRY C. ALDRICH, TRAVIS E. BROOKS, AND JEAN D. SCHOKNECHT .....	1001
An improved synthetic medium for oospore production and germination of several <i>Phytophthora</i> species, O. K. RIBEIRO, D. C. ERWIN, AND G. A. ZENTMYER .....	1012
Agar "baits" for the collection of aquatic fungi, ROBERT J. BANDONI, JOHN D. PARSONS, AND SCOTT A. REDHEAD .....	1020
Substitution of the radiation requirement for sporulation by host tissue in <i>Dendrophoma obscurans</i> , F. L. BINDER AND V. G. LILLY .....	1025

## Brief Articles

YOKOYAMA on <i>Pestalotia distincta</i> in Japan .....	1032
GOOS AND GESSNER on hyphal modifications of <i>Sphaerulina pedicellata</i> ..	1035
RAMIREZ ET AL. on VA mycorrhizal fungi on papaya .....	1039
CUMMINS on nomenclatural changes in <i>Ravenelia</i> .....	1042
RICKSON AND DENISON on ascomycete invasion of Müllerian-body tissue ..	1043
CHAPMAN AND FERGUS on ascospore germination in <i>Chaetomium globosum</i> ..	1048
TEWARI AND SINGH on new species of <i>Neobulgaria</i> from India .....	1052
LARSEN on synonymy of <i>Anthracobia humillima</i> with <i>Trichophaea abundans</i> .....	1058
ROGERS on a large-spored variety of <i>Hypoxylon uniapiculatum</i> .....	1061
COOKE on the 1970 Indiana foray .....	1065
SINGH AND TEWARI on a new species of <i>Poculum</i> from India .....	1071
Reviews .....	1076
Briefly Noted .....	1084


## No. 6 November-December

The protostelid genus <i>Schizoplasmodiopsis</i> , L. S. OLIVE AND CARMEN STOIANOVITCH .....	1087
A substrate for uniform production of perithecia in <i>Gibberella zeae</i> , A. T. TSCHANZ, R. K. HORST, AND PAUL E. NELSON .....	1101
The perfect state of <i>Microsporium amazonicum</i> , M. MORAES, A. A. PADHYE, AND L. AJELLO .....	1109
Variation in vivo and isolation of <i>Aspergillus fumigatus</i> from a case of human aspergillosis, ARIF S. EL-ANI .....	1114

## TABLE OF CONTENTS

vii

A new pattern of reproduction in <i>Pyronema domesticum</i> , ELIZABETH MOORE-LANDECKER .....	1119
Effect of nitrogen nutrition on the free amino acid pool of <i>Choanephora cucurbitarum</i> and parasitism by two haustorial mycoparasites, P. M. PHIPPS AND H. L. BARNETT .....	1128
The imperfect state of <i>Aphanoascus</i> , S. C. JONG AND E. E. DAVIS .....	1143
Host-parasite relations in a mycoparasite IV. A correlation between the levels of $\gamma$ -linolenic acid and parasitism of <i>Piptocephalis virginiana</i> , M. S. MANOCHA AND J. M. DEVEN .....	1148
Odorous constituents of <i>Penicillium decumbens</i> , A. F. HALIM, J. A. NARCISO, AND R. P. COLLINS .....	1158
Normal basidiocarp development of <i>Gloeophyllum (Lenzites) saepiarium</i> in culture, JACK S. STATES .....	1166
Brief Articles	
SUNDBERG AND TRAPPE on <i>Zelleromyces cinnabarinus</i> .....	1176
HUNG AND WELLS on compatibility in <i>Myxarium nucleatum</i> .....	1181
MISLIVEC ET AL. on mycotoxic species of <i>Aspergillus</i> and <i>Penicillium</i> ..	1187
SCHENCK ET AL. on vesicular-arbuscular mycorrhizal fungi .....	1189
NEISH on bacteria-free cultures of <i>Saprolegnia</i> species .....	1192
KWON-CHUNG on the perfect state of <i>Cryptococcus neoformans</i> .....	1197
MOORE AND PATTON on parenthosome fine structure .....	1200
COOKE on the 1972 Minnesota foray .....	1205
SUBRAMANIAN AND NATARAJAN on two new hyphomycetes from India ..	1211
KELLER AND BROOKS on a new species of <i>Badhamia</i> .....	1218
JAHNKE AND CHAPMAN on conidiospore germination in <i>Talaromyces thermophilus</i> .....	1223
FERNÁNDEZ AND DURÁN on sporulation by <i>Ustilago enneapogonis</i> .....	1229
HWANG ET AL. on sporangial production by <i>Phytophthora cinnamomi</i> ..	1233
JONG AND PENG on a new commercial mushroom in Taiwan .....	1235
Reviews .....	1239
Notices .....	1241
Errata .....	1243
Mycologia—Financial Report .....	1244
Index to Volume 67 .....	1245

<small>U. S. POSTAL SERVICE</small> <b>STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION</b> <small>(Act of August 12, 1970 Section 3685, Title 39, United States Code)</small>		
1. TITLE OF PUBLICATION <b>MYCOLOGIA</b>		2. DATE OF FILING <b>17 September 1975</b>
3. FREQUENCY OF ISSUE <b>BI-MONTHLY (6 times a year)</b>		3A. ANNUAL SUBSCRIPTION PRICE <b>\$25.00</b>
4. LOCATION OF KNOWN OFFICE OF PUBLICATION (Sheet, city, county, state and ZIP code) (Not printers) <b>THE NEW YORK BOTANICAL GARDEN BRONX, N.Y. 10458</b>		
5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS (Not printers) <b>THE NEW YORK BOTANICAL GARDEN, BRONX, N.Y. 10458</b>		
6. NAMES AND ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR		
PUBLISHER (Name and address) <b>THE NEW YORK BOTANICAL GARDEN BRONX, N.Y. 10458</b>		
EDITOR (Name and address) <b>DR. RICHARD K. BENJAMIN, RANCHO SANTA ANA BOTANIC GARDEN, CLAREMONT, CA. 91711</b>		
MANAGING EDITOR (Name and address) <b>DR. CLARK T. ROGERSON, THE NEW YORK BOTANICAL GARDEN, BRONX, NY 10458</b>		
7. OWNER (If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)		
NAME		ADDRESS
WHOLLY OWNED BY:		
THE NEW YORK BOTANICAL GARDEN		BRONX, NEW YORK 10458
8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES (If there are none, so state)		
NAME		ADDRESS
NONE		NONE
9. FOR OPTIONAL COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES (Section 132.121, Postal Service Manual)		
39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates." In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the reduced postage rates presently authorized by 39 U. S. C. 3626.		
(Signature and title of editor, publisher, business manager, or owner) <b>BRONX, NEW YORK 10458</b> <b>Joseph G. Sutton, Manager of Publications, The NEW YORK BOTANICAL GARDEN</b>		
10. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES (Section 132.122 Postal Service Manual) (Check one)		
The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes		
<input checked="" type="checkbox"/> Have not changed during preceding 12 months <input type="checkbox"/> Have changed during preceding 12 months             (If changed, publisher must submit explanation of change with this statement.)		
11. EXTENT AND NATURE OF CIRCULATION		
A. TOTAL NO. COPIES PRINTED (Net Press Run)		3400
B. PAID CIRCULATION		3400
1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		0
2. MAIL SUBSCRIPTIONS		2536
C. TOTAL PAID CIRCULATION		2536
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS, SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES		8
E. TOTAL DISTRIBUTION (Sum of C and D)		2544
F. COPIES NOT DISTRIBUTED		856
1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING		856
2. RETURNS FROM NEWS AGENTS		0
G. TOTAL (Sum of B & F—should equal net press run shown in A)		3400
I certify that the statements made by me above are correct and complete.		SIGNATURE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER  <b>MANAGER OF PUBLICATIONS</b> <b>THE NEW YORK BOTANICAL GARDEN</b> <b>BRONX, NEW YORK 10458</b>

## INDEX TO VOLUME LXVII\*

The Index for Volume 67 consists of three parts: (1) Subject Index, (2) Fungous Taxa Index, and (3) Host Index.

### SUBJECT INDEX

The Subject Index includes authors, titles, key words of titles and other subject matter, biographies, reviews, notices, etc.

- Additional neotropical Tremellales 991  
 Aflatoxin occurrence in some white corn under loan, 1971: IV. Mold flora 392  
 Agar "baits" for the collection of aquatic fungi 1020  
 Agaricales  
   Pacific Northwest 75  
 Agarikovye Shlyapochnye Griby (Por. Agaricales) Primorskovo Kraya; review 1076  
 Ainsworth, G. C., and P. K. Austwick. Fungal diseases of animals; review 439  
 Ajello, L. See Moraes et al. 1109  
   — See Morganti et al. 434  
 Albert Pilát (1903–1974); biography 445  
 Aldrich, Henry C. See Keller et al. 1001  
 Alexopoulos, Constantine J. See Blackwell and Alexopoulos 32  
 Algae  
   Ballia 629  
   Gloeocapsa 166  
 Altman, Philip L., and Dorothy S. Dittmer (eds.). Biology data book, second edition; review 892  
 Amphisphaeriaceae 187  
 Amyolytic activity 608  
 Anagnostakis, S. L. See Hankin and Anagnostakis 597  
 Angel, Sr. Kathleen, and D. T. Wicklow. Relationships between coprophilous fungi and fecal substrates in a Colorado grassland 63  
 Animal  
   Agaricophagus 742  
   Agonum 743, 744, 745, 747  
   Anisotoma 742  
   Azteca 1043  
   Bolbolasmus 742, 745  
   Catopocerus 743, 744, 745, 746, 747  
   Colenis 742  
   Cryptophagus 742  
   Drosophila 99  
   Ephemerella 1121  
   Francolinus 314  
   Homalota 742  
   Hydnobius 743, 744, 745, 747  
   Hylobius 744  
   Ips 744  
   Leiodes 742  
   Leperisinus 720  
   Microtus 940  
   Nossidium 743, 744, 745, 747  
   Odontaeus 742  
   Proteinus 742  
   Serpula 621  
   Thalycra 742, 743, 744, 745, 747  
   Triarthron 742  
 Anna Eliza Jenkins (1886–1972); biography 899  
 Annual review of phytopathology, volume 12; review 442  
 Antifungal properties of the insect alarm pheromones, citral, 2-heptanone, and 4-methyl-3-heptanone 701  
 Aphanomyces species and their root diseases in pea and sugarbeet; review 442  
 Aphanomycopsis sexualis, a new parasite of midge eggs 923  
 Apothecia  
   abnormal, Sclerotinia 89

\* Volumes 1 through 58 have been indexed as to fungous taxa, hosts, and subject. These three indices have been combined in a single publication and issued as: MYCOLOGIA INDEX, VOLUMES 1 THROUGH 58 (1909–1966). xvi + 1108 pages. Price: \$40.00. Available from: The New York Botanical Garden, Bronx, N. Y. 10458.



- Appleton, Judith A., and Michael R. Tansey. Inhibition of growth of zoopathogenic fungi by garlic extract 882  
 ———. See Tansey and Appleton 409
- Apressoria 1035
- Aquatic fungi 1020
- Aquatic fungi of Iceland: comparative morphology of *Achlya radiosa*, *A. pseudoradiosa*, and *A. stellata* 108
- Aragaki, M. See Hwang et al. 1233
- Armstrong, G. M., Joanne K. Armstrong, and R. V. Billington. *Fusarium oxysporum* forma specialis *voandzeiae*, a new form species causing wilt of Bambarra groundnut 709
- Armstrong, Joanne K. See Armstrong et al. 709
- Ascomycete development 852
- Ascomycete invasion of glycogen-rich Müllerian-body tissue of *Cecropia obtusifolia* (Moraceae) 1043
- Ascospore germination  
*Chaetomium* 722, 1048
- Ascospore of *Hypoxylon glycyrrhiza* 657
- Ascocarp ontogeny and imperfect state of *Thecotheus* (Pezizales, Ascomycetes) 241
- Aspergillosis 1114
- Austwick, P. K. See Ainsworth and Austwick 439
- Baker, Kenneth F., George A. Zentmyer, and Ellis B. Cowling. Annual review of phytopathology, volume 12; review 442
- Baker, K. R., and R. J. Cook. Biological control of plant pathogens; review 199
- Baker, Ralph. [Review of] Biological control of plant pathogens 199
- Bandoni, Robert J., John D. Parsons, and Scott A. Redhead. Agar "baits" for the collection of aquatic fungi 1020
- Barnett, H. L. See Phipps and Barnett 1128
- Barr, Margaret E. *Pestalotia*, a new genus in the *Amphisphaeriaceae* 187  
 ———. [Review of] A re-evaluation of the bitunicate Ascomycetes with keys to families and genera 1239
- Barstow, W. E., and J. S. Lovett. Formation of gamma particles during zoosporogenesis in *Blastocladiella emersonii* 518
- Basidiocarp development of the two varieties of *Panus tigrinus* and their light-induced abnormal forms 182
- Basidiocarp production  
*Typhula* 128
- Basidiomycetes  
 evolutionary diagram for orders 13  
 major groups of 1  
 synopsis of classification 17
- Baxter, John W. Notes on Brazilian species of *Ravenelia* 436
- Bayesian analysis of generic relations in Agaricales; review 203
- Bean, G. A. See Melhuish et al. 952
- Beers, Alma Holland. See Coker and Beers 687
- Beneke, E. S. [Review of] Fungal diseases of animals 439  
 ———. See Johnson et al. 108
- Beraha, Louis. See Sommer and Beraha 650
- Billington, R. V. See Armstrong et al. 709
- Binder, F. L., and V. G. Lilly. Substitution of the radiation requirement for sporulation by host tissue in *Dendrophoma obscurans* 1025
- Biochemistry  
*Piptopezalis* 382
- Biographies  
 Gilkey, Helen M. 207  
 Jenkins, Anna E. 899  
 Pilat, Albert 445
- Biological control of plant pathogens; review 199
- Biology and control of soil-borne plant pathogens; review 1084
- Biology and geographical distribution of *Spathulospora* species 629
- Biology data book, second edition; review 892
- Biology of plant litter decomposition; review 682
- Blackwell, Meredith, and Constantine J. Alexopoulos. Taxonomic studies in the Myxomycetes. IV. *Protophysarum phloiogenum*, a new genus and species of Physaraceae 32
- Bloss, H. E., and J. E. Wheeler. Influence of nutrients and substrata on formation of strands and sclerotia by *Phymatotrichum omnivorum* 303
- Blum, Murray S. See Cole et al. 701
- Bobbitt, Thomas F., and Richard E. Crang. Basidiocarp development of the two varieties of *Panus tigrinus* and their light-induced abnormal forms 182
- Boletaceae of North Carolina; review 687
- Booth, C. See Hawksworth and Booth 687
- Botany: an introductory survey of the plant kingdom; review 896
- Bothast, R. J. See Hesseltine et al. 392
- Boyd, Karen, S. See Garrison et al. 961



- Bratteng, A. Stephen. *Comatricha orthotricha*, a new species of myxomycete 413
- Breen, Geraldine, and Solomon Goldstein. Identification of the marine phycomycete isolate "S-3" 177
- Brooks, Richard D. The presence of dolipore septa in *Nia vibrissa* and *Digitatispora marina* 172
- Brooks, Travis E. See Keller and Brooks 1218
- . See Keller et al. 1001
- Bruce, V. R. See Mislivec et al. 1187
- Bruhl, G. W. (ed.). Biology and control of soil-borne plant pathogens; review 1084
- Budding in the dimorphic fungus *Cladosporium werneckii* 942
- Bulletin de la Société Mycologique de Genève; review 896
- Burdsall, Harold H., Jr. See Lombard et al. 495
- Butler, Edward E. See Hunter and Butler 863
- Cairney, William J. [Review of] Dermatophytes in human skin, hair, and nails 894
- Campbell R. The ultrastructure of the formation of chains of conidia in *Memnoniella echinata* 760
- Carbenicillin as an aid in obtaining bacteria-free cultures of *Saprolegnia* species 1192
- Carbon utilization  
    *Monascus* 806
- Carbonicolous ascomycetes 855
- Carlile, M. H., and J. J. Shekel (eds.) Evolution in the microbial world; review 201
- Cellulolytic and amylolytic activity of *Papulaspora thermophila* 608
- Chang, L. T. See Tuveson and Chang 511
- Chapman, E. S., and C. L. Fergus. Germination of ascospores of *Chaetomium globosum* 1048
- , E. Evans, M. C. Jacobelli, and A. A. Logan. The cellulolytic and amylolytic activity of *Papulaspora thermophila* 608
- . See Jahnke and Chapman 1223
- Chapman, Shirley W. See Mitchel et al. 586
- Charudattan, R., and K. E. Conway. Comparison of *Uredo eichhorniae*, the water-hyacinth rust, and *Uromyces pontederiae* 653
- Check list of European polypores; review 1077
- Cholesterol uptake and metabolism by *Pythium* and *Phytophthora* species 663
- Christensen, Clyde M. See Johnson et al. 879
- Chytridiaceous parasites 552
- Citral 701
- Coelomycetes. V. *Coryneum*; review 1084
- Coker, William Chambers, and Alma Holland Beers. Boletaceae of North Carolina; review 687
- Cole, Larry K., Murray S. Blum, and Ronald W. Roncadori. Antifungal properties of the insect alarm pheromones, citral, 2-heptanone, and 4-methyl-3-heptanone 701
- Coleoptera 741
- Collins, O'Neil Ray. Mating types in five isolates of *Physarum polycephalum* 98
- Collins, R. P. See Halim et al. 1158
- Colorado  
    coprophilous fungi 63  
    *Gasteromycetes* 586
- Color variants, *Aureobasidium* 342
- Comatricha orthotricha*, a new species of myxomycete 413
- Commercial mushroom 1235
- Comparison of *Fusarium* populations in grasslands of Minnesota and Iceland 38
- Comparison of *Uredo eichhorniae*, the water-hyacinth rust, and *Uromyces pontederiae* 653
- Complete book of mushrooms; review 684
- Conioscypha* and *Cylicogone* 424
- Constantinescu, Ovidiu. Metode si tehnici in micologie; review 898
- Continuous versus limited growth of fungi 362
- Contribution to the taxonomy of the genus *Tomentella*; review 688
- Conway, Kenneth E. Ascocarp ontogeny and imperfect state of *Thecotheus* (Pezizales, Ascomycetes) 241
- . The ontogeny of *Lasiobolus ciliatus* (Pezizales, Ascomycetes) 253
- Conway, K. E. See Charudattan and Conway 653
- Cook, R. J. See Baker and Cook 199
- Cooke, Wm. Bridge. The 1970 Indiana Foray 1065
- . The 1972 Minnesota foray 1205
- Coprophilous ascomycetes 855
- Coprophilous fungi 63
- Cortinarius Fr. und nahe verwandte Gattungen in Südamerika; review 1078

- Corticulous myxomycetes III: A new species of *Badhamia* 1218
- Crane, J. L., and Jean D. Schoknecht. Revisions of *Torula* species. *Torula brachiata*, *T. maculans*, and *T. resiniae* reexamined 666
- Crang, Richard E. See Bobbitt and Crang 182
- Cummins, George B. Two nomenclatural changes in *Ravenelia* 1042
- . The status of three western rust fungi 175
- Cytology  
*Aspergillus* 674
- Davidson, R. W. See Hinds and Davidson 715
- Davis, E. E. See Jong and Davis 1143
- de Hoog, G. S. The genera *Blastobotrys*, *Sporothrix*, *Calcarisporium* and *Calcarisporiella* gen. nov.; review 1085
- Deighton, F. C. Studies on *Cercospora* and allied genera. V. *Mycovelosiella* Rangel, and a new species of *Ramulariopsis*; review 898
- Delwiche, Christine J. See Fergus and Delwiche 722
- Denison, William. See Rickson and Denison 1043
- Deploey, J. J., and C. L. Fergus. Growth and sporulation of thermophilic fungi and Actinomycetes in  $O_2$ - $N_2$  atmospheres 780
- Dermatophytes in human skin, hair, and nails; review 893
- Dermek, Aurel. See Pilát and Dermek 440
- Deven, J. M. See Manocha and Deven 1148
- Diaporthe actinidiae*, a new species causing stem-end rot of Chinese gooseberry fruits 650
- Dickinson, C. H., and G. J. F. Pugh. Biology of plant litter decomposition; review 682
- Dieter, C. T. See Mislivec et al. 1187
- Dittmer, Dorothy S. See Altman and Dittmer 892
- Doe, Frank J. See Gutz and Doe 748
- Domanski, Stanislaw. Fungi. Polyporaceae I (Resupinatae), Mucroporaceae I (Resupinatae); II (Pileatae), Mucroporaceae II (Pileatae); review 896
- Donk, M. A. Check list of European polypores; review 1077
- Dubin H. J., and Harley English. Effects of temperature, relative humidity, and desiccation on germination of *Nectria galligena* conidia 83
- Dumont, K. P. Sclerotiniaceae VIII. The generic name *Pachydisca* 161
- . Sclerotiniaceae IX. *Coprotinia* 320
- . Sclerotiniaceae X. *Ciboriella*, a taxonomic synonym of *Lanzia* 569
- Duncan, Ursula K. Introduction to British lichens; review 897
- Durán, Rubén. See Fernández and Durán 1229
- Dykstra, Michael J., and Lindsay S. Olive. Sorodiplophrys: an unusual sorocarp-producing protist 873
- Ecological studies of hypogeous fungi. I. Coleoptera associated with sporocarps 741
- Ecology  
 coprophilous fungi 64  
*Fusarium* 38  
 tallgrass prairie 852  
 Ectomycorrhizal fungi 952  
 Effect of Botran on fascicle production by species of *Penicillium* 194  
 Effect of nitrogen nutrition on the free amino acid pool of *Choanephora cucurbitarum* and parasitism by two haustorial mycoparasites 1128  
 Effects of nutrients and temperature on germination and viability of the ascospores of *Chaetomium rectopilum* 722  
 Effect of temperature and relative humidity on spore germination of mycotoxic species of *Aspergillus* and *Penicillium* 1187  
 Effects of temperature, relative humidity, and desiccation on germination of *Nectria galligena* conidia 83  
 El-Ani, Arif S. Variation in vivo and isolation of *Aspergillus fumigatus* from a case of human aspergillosis 1114  
 Electron microscopy, *Ceratocystis* 332  
 Ellis, J. J. [Review of] *Moississures toxiques dans l'Alimentation* 1081  
 ———. [Review of] *Mycotoxins* 1081  
 Endogonaceae in the Pacific Northwest; review 687  
 English, Harley. See Dubin and English 83  
 Enzyme cytochemistry of fungi; review 205  
 Enzyme production 597  
 Erwin, D. C. See Ribeiro et al. 1012  
 Establishment and growth effects of three vesicular-arbuscular mycorrhizal fungi on papaya 1039  
 Evans, E. See Chapman et al. 608  
 Evolution in the microbial world; review 201  
 Fatty acid composition of ectomycorrhizal fungi in vitro 952

- Fergus, C. L., and Christine J. Delwiche. Effects of nutrients and temperature on germination and viability of the ascospores of *Chaetomium rectopilum* 722
- . See Chapman and Fergus 1048
- . See Deploey and Fergus 780
- Fernández, John A., and Rubén Durán. Sporulation by *Ustilago enneapogonis* in axenic culture 1229
- Fire as an environmental cue initiating ascomycete development in a tall-grass prairie 852
- Flanagan, P. W. See Holding et al. 688
- Fogel, Robert, and Stewart B. Peck. Ecological studies of hypogeous fungi. I. Coleoptera associated with sporocarps 741
- Forays
- Indiana 1065
- Minnesota 1205
- Formation of gamma particles during zoosporogenesis in *Blastocladiella emersonii* 518
- 4-methyl-3-heptanone 701
- Fungal dextranase 845
- Fungal diseases of animals; review 439
- Fungi associated with growing stalagmites 171
- Fungi Canadenses; review 1084
- Fungi occurring in freshly harvested and in-market pecans 689
- Fungi of India, supplement to the list of Indian fungi, 1962-1972; review 897
- Fungi of Puerto Rico and the American Virgin Islands; review 1085
- Fungi. Polyporaceae I (Resupinatae), Mucroporonaceae I (Resupinatae); II (Pileatae) Mucroporonaceae II (Pileatae); review 896
- Fusarium oxysporum* forma specialis *voandzeiae*, a new form species causing wilt of Bambara groundnut 709
- Galerina hypnorum* fruiting on cattail and in pure culture 879
- Gamma particles 518
- Garlic extract 882
- Garlic extract inhibition 409
- Garrison, Robert G., Karen S. Boyd, and James W. Lane. Ultrastructural studies on *Thermomyces lanuginosa* and certain other closely related thermophilic fungi 961
- Gasteromycetes, Colorado 586
- Genera *Blastobotrys*, *Sporothrix*, *Calcarisporium* and *Calcarisporiella* gen. nov.; review 1085
- Genera of fungi sporulating in pure culture; review 892
- Genetic investigations with *Dipodasus uninucleatus* 511
- Genetic control of compatibility in *Myxarium nucleatum* 1181
- Genetics
- Panus 182
- Physarum 98
- Genetics of *Sordaria fimicola* VIII. Nitroso-guanidine mutagenesis and isolation of protoperithecial mutants 45
- Genus *Diacheopsis* 616
- Gerdemann, J. W., and James M. Trappe. Endogonaceae in the Pacific Northwest; review 687
- Germination of conidiospores of *Talaromyces thermophilus* 1223
- Genus *Fischerula* (Tuberales) 934
- Genus *Octospora* and its typification 972
- Germination of ascospores of *Chaetomium globosum* 1048
- Gessner, R. V. See Goos and Gessner 1035
- Gilbertson, R. L. [Review of] Check list of European polypores 1078
- . See Lombard et al. 495
- Gilkey, Helen Margaret (1886-1972); biography 207
- Gilliam, Martina S. New North American species of *Marasmius* 817
- Glycogen-rich Müllerian-body tissue 1043
- Goldstein, Solomon. See Breen and Goldstein 177
- Goos, R. D. Production of secondary conidia by *Helicoma proliferans* 888
- , and R. V. Gessner. Hyphal modifications of *Sphaerulina pedicellata*: appressoria or hyphopodia? 1035
- Gorenflot, R. Précis de botanique (seignement supérieur), 1. Protocaryotes et Thallophytes Eucaryotes; review 898
- Graham, S. O. See Schenck et al. 1189
- Grassland, *Fusarium* 38
- Green, N. E. See Schenck et al. 1189
- Grimes, George. See Mitchel et al. 586
- Growth and sporulation of thermophilic fungi and Actinomycetes in O<sub>2</sub>-N<sub>2</sub> atmospheres 780
- Grund, D. W., and D. E. Stuntz. Nova Scotian Inocybes. III. 19
- Gustafson, R. A., R. V. Hardcastle, and P. J. Szanislo. Budding in the dimorphic fungus *Cladosporium werneckii* 942
- Gutz, Herbert, and Frank J. Doe. On homo- and heterothallism in *Schizosaccharomyces pombe* 748
- Hacskeylo, E. See Melhuish et al. 952
- Halim, A. F., J. A. Narciso, and R. P. Collins. Odorous constituents of *Penicillium decumbens* 1158

- Hankin, Lester, and S. L. Anagnostakis. The use of solid media for detection of enzyme production by fungi 597
- Hanlin, R. T. See Huang and Hanlin 689
- Hardcastle, R. V. See Gustafson et al. 942
- Harris, James L. Some three-dimensional aspects of *Ceratocystis ulmi* as observed by high-voltage electron microscopy 332
- Hasselbring, Ted S., Michael R. Tansey, and Michele Ann Jack. Fungi associated with growing stalagmites 171
- Hawksworth, D. L. Mycologists' handbook; review 438
- , and C. Booth. Revision of the genus *Zopfia* Rabenh.; review 687
- , and H. Wells. Ornamentation on the terminal hairs in *Chaetomium* Kunze ex Fr. and some allied genera; review 687
- Haynes, James D. Botany: an introductory survey of the plant kingdom; review 896
- Heal, O. W. See Holding et al. 688
- Hendrix, James W. Cholesterol uptake and metabolism by *Pythium* and *Phytophthora* species 663
- Hennebert, G. L., and Richard P. Korf. The peat mould, *Chromelosporium ollare*, conidial state of *Peziza ostracoderma*, and its misapplied names, *Botrytis crystallina*, *Botrytis spectabilis*, *Ostracoderma epigaeum* and *Peziza atrovinosa* 214
- Hesseltine, C. W., R. J. Bothast, and Odette L. Shotwell. Aflatoxin occurrence in some white corn under loan, 1971: IV. Mold flora 392
- Heterothallism  
*Schizosaccharomyces* 748
- Hinds, T. E., and R. W. Davidson. Two new species of *Ceratocystis* 715
- Histoplasmosis 980
- Ho, H. H. Observations on the behavior of zoospores of a *Saprolegnia* species 425
- Ho, Iwan, and J. M. Trappe. Nitrate reducing capacity of two vesicular-arbuscular mycorrhizal fungi 886
- Hohl, Hans R., and Waltraud Streit. Ultrastructure of ascus, ascospore and ascocarp in *Neurospora lineolata* 367
- Holding, A. J., O. W. Heal, S. F. MacLean, Jr., and P. W. Flanagan (eds.). Soil organisms and decomposition in tundra; review 688
- Homo- and heterothallism in *Schizosaccharomyces pombe* 748
- Homola, Richard L., and Robert L. Shaffer. A new *Russula* of the subsection *Nigricantes* from north-eastern North America 428
- Homothallism  
*Schizosaccharomyces* 748
- Horak, Egon. See Moser and Horak 1078
- Horst, R. K. See Tschanz and Horst 1101
- Host-parasite relations in a mycoparasite III. Morphological and biochemical differences in the parasitic- and axenic-culture spores of *Piptocephalis virginiana* 382
- Host-parasite relations in a mycoparasite IV. A correlation between the levels of  $\gamma$ -linolenic acid and parasitism of *Piptocephalis virginiana* 1148
- Hřibovité Huby; review 440
- Huang, L. H. A new species of *Eleutherascus* from Peruvian soil 293
- , and R. T. Hanlin. Fungi occurring in freshly harvested and in-market pecans 689
- Hughes, S. J. Fungi *Canadenses*; review 1084
- Humidity effect  
*Aspergillus* 1187  
*Nectria* 83  
*Penicillium* 1187
- Hung, Ching-Yuan, and Kenneth Wells. Genetic control of compatibility in *Myxarium nucleatum* 1181
- Hunter, William E., and Edward E. Butler. *Syncephalis californica*, a mycoparasite inducing giant hyphal swellings in species of *Mucorales* 863
- Hwang, S. C., W. H. Ko, and M. Aragaki. A simplified method for sporangial production by *Phytophthora cinnamoni* 1233
- Hybrids  
*Phytophthora* 1012
- Hyphal modifications of *Sphaerulina pedicellata*: appressoria or hyphopodia? 1035
- Hyphopodia 1035
- Hypogeous fungi 741
- Iceland  
aquatic fungi 108  
*Fusarium* 38
- Identification of diploids of *Aspergillus flavus* by the nuclear condition of conidia 674
- Identification of the marine phycomycete isolate "S-3" 177
- Identity and cultivation of a new commercial mushroom in Taiwan 1235

- Identity and perfect state of *Colletotrichum graminicola* 56
- Imperfect state of *Aphanoascus* 1143
- Improved synthetic medium for oospore production and germination of several *Phytophthora* species 1012
- Indiana Foray 1065
- Influence of nutrients and substrata on formation of stands and sclerotia by *Phymatotrichum omnivorum* 303
- Inhibition of fungal growth by garlic extract 409
- Inhibition of growth of zoopathogenic fungi by garlic extract 882
- Intrahyphal hyphae in the basidiomycete *Gloeophyllum* (Lenzites) saepiarium 417
- Introduction to British lichens, review 897
- Insect alarm 701
- Jack, Michele Ann. See Hasselbring et al. 171
- Jacobelli, M. C. See Chapman et al. 608
- Jahnke, Susan E., and Eugene S. Chapman. Germination of conidiospores of *Talaromyces thermophilus* 1223
- Jha, K. K., and L. S. Olive. Genetics of *Sordaria fimicola* VIII. Nitrosguanidine mutagenesis and isolation of protoperithecial mutants 45
- Jong, S. C., and E. E. Davis. The imperfect state of *Aphanoascus* 1143
- , and J. T. Peng. Identity and cultivation of a new commercial mushroom in Taiwan 1235
- , and J. E. Roxon. *Conioscypha* and *Cylicogone* 424
- Johnson, Dennis A., Clyde M. Christensen, and H. T. King. *Galerina hypnorum* fruiting on cattail and in pure culture 879
- Johnson, George T., and Frank McHan. Some effects of zinc on the utilization of carbon sources by *Monascus purpureus* 806
- Johnson, T. W., Jr., A. L. Rogers, and E. S. Beneke. Aquatic fungi of Iceland: comparative morphology of *Achlya radiosa*, *A. pseudoradiosa*, and *A. stellata* 108
- Juneja, R. C. See Mukerji and Juneja 897
- Keller, Harold W., Henry C. Aldrich, Travis E. Brooks, and Jean D. Schoknecht. The taxonomic status of *Badhamia ovispora*: a myxomycete with unique spores 1001
- , and Travis E. Brooks. Corticolous myxomycetes III: A new species of *Badhamia* 1218
- Keim, R., R. K. Webster, and C. M. Wick. Quantitative effects of incorporating rice residue on populations of soil microflora 280
- Kendrick, W. B. See Upadhyay and Kendrick 798
- Keys
- Diacheopsis*, species 617
  - Efibulobasidium*, species 148
  - Fischerula*, species 935
  - Lopharia*, species 533
  - Schizoplasmodiopsis*, species 1088
- Khare, K. B., and V. P. Tewari. The genus *Octospora* and its typification 972
- Kiefer, J. [Review of] Bayesian analysis of generic relations in Agaricales 203
- King, T. H. See Johnson et al. 879
- Kliejunas, J. T., and W. H. Ko. Continuous versus limited growth of fungi 362
- , and W. H. Ko. Technique for direct observation of nematode trapping by fungi on soil 420
- Ko, W. H. See Hwang et al. 1233
- , See Kliejunas and Ko 362, 420
- Kohlmeyer, Erika. See Kohlmeyer and Kohlmeyer 629
- Kohlmeyer, Jan and Erika. Biology and geographical distribution of *Spathulospora* species 629
- Kohn, Linda M. [Review of] Complete book of mushrooms 686
- Kommedahl, Thor, Carol E. Windels, and D. S. Lang. Comparison of *Fusarium* populations in grasslands of Minnesota and Iceland 38
- Korf, R. P. [Review of] Biology data book, second edition 892
- , [Review of] Genera of fungi sporulating in pure culture 892
- , [Review of] Mycologist's handbook 438
- , See Hennebert and Korf 214
- Kosasih, B. D., and H. J. Willetts. Types of abnormal apothecia produced by *Sclerotinia sclerotiorum* 89
- Koske, R. E. *Typhula erythropus*: II. Sclerotial germination and basidiocarp production 128
- Kowalski, Donald T. The Genus *Diacheopsis* 616
- , The myxomycete taxa described by Charles Meylan 448
- Kuhlman, E. G. Zygosporic formation in *Mortierella alpina* and *M. spinosa* 678
- Kurtzman, C. P. See Wickerham and Kurtzman 342

- Kwon-Chung, K. J. A new genus, *Filobasidiella*, the perfect state of *Cryptococcus neoformans* 1197
- A new pathogenic species of *Aspergillus* in the *Aspergillus fumigatus* series 770
- Perfect state (*Emmonsia capsulata*) of the fungus causing large-form African histoplasmosis 980
- Lane, James W. See Garrison et al. 961
- Lang, D. S. See Kommedahl et al. 38
- Large-spored variety of *Hypoxylon unipiculatum* 1061
- Larsen, A. O. See Stack et al. 167
- Larsen, Harold J., Jr. A note concerning the synonymy of *Anthracobia humillima* with *Trichophaea abundans* 1058
- Larsen, Michael J. Contribution to the taxonomy of the genus *Tomentella*; review 688
- Larsh, Howard W. [Review of] *Manual of clinical microbiology* 895
- Leaich, Laurie, and K. E. Papa. Identification of diploids of *Aspergillus flavus* by the nuclear condition of conidia 674
- Lennette, Edwin H., Earl H. Spaulding, and Joseph P. Traut (eds.). *Manual of clinical microbiology*; review 894
- Liberta, Anthony E. See Simonson and Liberta 845
- Lichtwardt, Robert W. See Moss et al. 120
- Light and electron microscopic study of stalk formation in the myxomycete *Arcyria cinerea* 638
- Light effect mycorrhizal fungi 1189
- Lilly, V. G. See Binder and Lilly 1025
- Logan, A. A. See Chapman et al. 608
- Lombard, Frances F., Harold H. Burdall, Jr., and Robert L. Gilbertson. Taxonomy of *Corticium chrysocreas* and *Phlebia livida* 495
- Lopharia 530
- Lovett, J. S. See Barstow and Lovett 518
- Lowy, B. Additional neotropical *Tremellales* 991
- McHan, Frank. See Johnson and McHan 806
- Machol, R. E., and R. Singer. Bayesian analysis of generic relations in *Agaricales*; review 203
- MacLachlan, Gordon. [Review of] *Enzyme cytochemistry of fungi* 205
- MacLean, F. See Holding et al. 688
- Major groups of *Basidiomycetes* 1
- Malloch, David. [Review of] *On Thielavia and some similar genera of Ascomycetes* 1240
- Manier, J.-F. See Moss et al. 120
- Manocha, M. S. Host-parasite relations in a mycoparasite III. Morphological and biochemical differences in the parasitic- and axenic-culture spores of *Piptocephalis virginiana* 382
- , and J. M. Deven. Host-parasite relations in a Mycoparasite IV. A correlation between the levels of  $\gamma$ -linolenic acid and parasitism of *Piptocephalis virginiana* 1148
- Martin, W. Wallace. *Aphanomyces sexualis*, a new parasite of midge eggs 923
- Manual of clinical microbiology*; review 894
- Marine phycomycete isolate "S-3" 177
- Martin, W. Wallace. A new species of *Catenaria* parasitic in midge eggs 264
- Mating types in five isolates of *Phy-sarum polycephalum* 98
- Media synthetic, oospore production 1012
- Melhuish, J. H., Jr., E. Hacskaylo, and G. A. Bean. Fatty acid composition of ectomycorrhizal fungi in vitro 952
- Metode si tehnic In micologie; review 898
- Meylan, Charles myxomycete taxa 448
- Microbial communities in a forest-rendzina ecosystem; review 442
- Midge eggs 264, 923
- Mims, Charles W., and Milton A. Rogers. A light and electron microscopic study of stalk formation in the myxomycete *Arcyria cinerea* 638
- Minnesota foray 1205
- Fusarium* 38
- Mislivec, Philip B. The effect of Botran on fascicle production by species of *Penicillium* 194
- , C. T. Dieter, and V. R. Bruce. Effect of temperature and relative humidity on spore germination of mycotoxic species of *Aspergillus* and *Penicillium* 1187
- Mitchell, D. J. See Ramirez et al. 1039
- Mitchel, D. H., and Alexander H. Smith. Notes on Colorado fungi I. *Hygro-phorus amarus* 672
- , Shirley W. Chapman, and George Grimes. Studies of *Disciseda* (Gasteromycetes) in Colorado 586
- Moississures toxiques dans l'Alimentation; review 1080

- Moore-Landecker, Elizabeth. A new pattern of reproduction in *Pyronema domesticum* 1119
- Moore, Royall T., and A. Marie Patton. Parenthesome fine structure in *Pleurotus cystidiosus* and *Schizophyllum commune* 1200
- Moraes, M., A. A. Padhye, and L. Ajello. The perfect state of *Microsporium amazonicum* 1109
- Moreau, Claude. Moisissures toxiques dans l'Alimentation; review 1080
- Morganti, L., A. A. Padhye, and L. Ajello. Recovery of *Nanizzia grubyia* from a stray Italian cat (*Felis catus*) 434
- Morphology
- Achyla 108
  - Arcyria 638
  - Ceratiomyxa 733
  - Ceratocystis 332
  - Cladosporium 942
  - Helicoma 888
  - Lasiobolus 253
  - Memnoniella 760
  - Neurospora 367
  - Panus 182
  - Piptocephalis 382
  - Pleurotus 1200
  - Pyronema 1119
  - Schizophyllum 1200
  - Thecothecus 241
  - Thermomyces 961
- Moser, Meihard, and Egon Horak. Cortinarius Fr. and nahe verwandte Gattungen in Südamerika; review 1078
- Moss, Stephen T., Robert W. Lichtwardt, and J.-F. Manier. Zygo-polaris, a new genus of Trichomyces producing zygospores with polar attachment 120
- Mucorales 863
- Mukerji, K. G., and R. C. Juneja. Fungi of India, supplement to the list of Indian fungi, 1962-1972; review 897
- Müller, E. See von Arx and Müller; review 1239
- Mundkurella mossii, a smut of Aralia nudicaulis 273
- Mushrooms and the Yoruba people of Nigeria 311
- Mycetozoans; review 1081
- Mycological Society of America presidential address
- Shaffer, Robert L. 1
- Mycologists; biographies
- Gilkey, Helen Margaret 207
  - Jenkins, Anne E. 899
  - Pilát, Albert 445
- Mycologist's handbook; review 438
- Mycologists, portraits
- Foray, Indiana 1970 1070
  - Foray, Minnesota 1972 1206
  - Gilkey, Helen Margaret, (2) frontisp.
  - Jenkins, Anna Eliza, (5) frontisp.
  - Pilát, Albert, (3) frontisp.
  - Shaffer, Robert L., (1) frontisp.
- Mycoparasite 863, 1128, 1148
- Piptocephalis 382
- Mycorrhiza 167
- Mycorrhizal fungi 1189
- Mycotaxon; notice 442
- Mycotoxic species 1187
- Mycotoxins; review 1080
- Mycovirus Newsletter; notice 443
- Myxomycetes 1001
- taxonomic studies 32
- Myxomycete taxa described by Charles Meylan 448
- Narciso, J. A. See Halim et al. 1158
- Natarajan, K. See Subramanian and Natarajan 1211
- Neish, Gordon A. Carbenicillin as an aid in obtaining bacteria-free cultures of *Saprolegnia* species 1192
- Nelson, Rodney K., and Raymond W. Scheetz. Swarm cell ultrastructure in *Ceratiomyxa fruticulosa* 733
- Nematode trapping by fungi 420
- New genus, *Filobasidiella*, the perfect state of *Cryptococcus neoformans* 1197
- New North American species of *Marasmius* 817
- New pathogenic species of *Aspergillus* in the *Aspergillus fumigatus* series 770
- New pattern of reproduction in *Pyronema domesticum* 1119
- New *Russula* of the subsection *Nigricantes* from northeastern North America 428
- New sources of fungal dextranase 845
- New species and a new combination of *Tricholoma* (Agaricales) from the Pacific Northwest 75
- New species of *Catenaria* parasitic in midge eggs 264
- New species of *Eleutherascus* from Peruvian soil 293
- New species of *Poculum* from India 1071
- Nigeria, mushrooms 311
- Nitrate reducing capacity of two vesicular-arbuscular mycorrhizal fungi 886
- Nitrogen effect
- Choanephora 1128
- Nitroso-guanidine mutagenesis, genetics of *Sordaria* 45
- Normal basidiocarp development of *Gloeophyllum* (Lenzites) saepiarium in culture 1166



- Note concerning the synonymy of *Anthracobia humillima* with *Trichophaea abundans* 1058
- Notes on Brazilian species of *Ravenelia* 436
- Notes on Colorado fungi I. *Hygrophorus amarus* 672
- Notes on *Zelleromyces cinnabarinus* (Basidiomycetes, Hydnangiales) 1176
- Nova Scotian *Inocybes*. III. 19
- Nutrient effect  
     *Chaetomium* 722  
     *Phymatotrichum* 303
- O'Brien, Muriel J. Anna Eliza Jenkins 899
- Observations on chytridiaceous parasites of phanerogams XXIII. Notes on *Physoderma* 552
- Observations on the behavior of zoospores of a *Saprolegnia* species 425
- Occurrence of thermophilic microorganisms in peanuts and peanut soil 157
- Odorous constituents of *Penicillium decumbens* 1158
- Olive, Lindsay S. The Mycetozoans; review 1081  
     —, See Dykstra and Olive 873  
     —, See Jha and Olive 45  
     —, and Carmen Stoianovitch. The protostelid genus *Schizoplasmodiopsis* 1087
- On *Thielavia* and some similar genera of Ascomycetes; review 1239
- Ontogeny of *Lasiobolus ciliatus* (Pezizales, Ascomycetes) 253
- Oospore production 1012
- Ornamentation on the terminal hairs in *Chaetomium* Kunze ex Fr. and some allied genera; review 687
- Oso, B. A. Mushrooms and the Yoruba people of Nigeria 311
- Ovrebo, Clark, and Edmund E. Tylutki. New species and a new combination of *Tricholoma* (Agaricales) from the Pacific Northwest 75
- Pacific Northwest, Agaricales 75
- Padhye, A. A. See Moraes et al. 1109  
     —, See Morganti et al. 434
- Paecilomyces and some allied Hyphomycetes; review 1085
- Papa, K. E. See Leach and Papa 674
- Papavizas, C., and William A. Ayers. *Aphanomyces* species and their root diseases in pea and sugarbeet; review 442
- Papaya 1039
- Parasite, midge eggs 923
- Parenthesoma fine structure in *Pleurotus cystidiosus* and *Schizophyllum commune* 1200
- Parsons, John D. See Bandoni et al. 1020
- Pathogenic *Aspergillus* 770
- Patton, A. Marie. See Moore and Patton 1200
- Peanuts, thermophilic microorganisms 157
- Peat mould, *Chromelosporium ollare*, conidial state of *Peziza ostracoderma*, and its misapplied names, *Botrytis crystallina*, *Botrytis spectabilis*, *Ostracoderma epigaeum* and *Peziza atrovinosa* 214
- Pecan fungi 689
- Peck, Stewart B. See Fogel and Peck 741
- Peng, J. T. See Jong and Peng 1235
- Perfect state (*Emmonsia capsulata*) of the fungus causing large-form African histoplasmosis 980
- Perfect state of *Microsporium amazonicum* 1109
- Pestalotia*, a new genus in the *Amphisphaeriaceae* 187
- Pestalotia distincta* re-found in Japan 1032
- Peterson, Roger S. [Review of] The tree rusts of western Canada 1083
- Pettit, Robert E. See Taber and Pettit 157
- Pfister, Donald H. The psilopezoid fungi. VI. *Aleuria annamitica*, a synonym of *Pachyella adnata* 181
- Pheromones 701
- Phipps, P. M., and H. L. Barnett. Effect of nitrogen nutrition on the free amino acid pool of *Choanephora cucurbitarum* and parasitism by two haustorial mycoparasites 1128
- Physaraceae new genus and species 32
- Pilát, Albert and Aurel Dermek. *Hříbovitě* Huby; review 440
- Physiology  
     *Chaetomium* 722  
     *Monascus* 806  
     *Nectria* 83  
     *Phytophthora* 663  
     *Pythium* 663  
     *Typhula* 128
- Politis, Demetrios J. The identity and perfect state of *Colletotrichum graminicola* 56
- Précis de botanique (enseignement supérieur), 1. Protocaryotes et Thallophytes Eucaryotes; review 898
- Presence of dolipore septa in *Nia vi-brissa* and *Digitatispora marina* 172

- Preservation of basidiospores of *Laccaria laccata* for use as mycorrhizal inoculum 167
- Prodromus for a revision of *Ceratocystis* (Microascales, Ascomycetes) and its conidial states 798
- Production of secondary conidia by *Helicoma proliferans* 888
- Protostelid genus *Schizoplasmodiopsis* 1087
- Psilopezoid fungi. VI. *Aleuria annamitica*, a synonym of *Pachyella adnata* 181
- Pteridophytes
- Equisteum* 138
- Publications
- Gilkey, Helen M. 213
- Pugh, G. J. F. See Dickinson and Pugh 682
- Punithalingam, E. Studies on Sphaeropsidales in culture; review 688
- Purchase, I. F. H. (ed.). Mycotoxins; review 1080
- Quantitative effects of incorporating rice residue on populations of soil microflora 280
- Raitviir, A. See Wells and Raitviir 904
- Ramirez, B. N., D. J. Mitchell, and N. C. Schenck. Establishment and growth effects of three vesicular-arbuscular mycorrhizal fungi on papaya 1039
- Raper, Kenneth B. [Review of] The Mycetozoa 1082
- Recovery of *Nannizzia grubyia* from a stray Italian cat (*Felis catus*) 434
- Redhead, Scott A. See Bandoni et al. 1020
- Re-evaluation of the bitunicate Ascomycetes with keys to families and genera; review 1239
- Reiss, J. Enzyme cytochemistry of fungi; review 205
- Relationships between coprophilous fungi and fecal substrates in a Colorado grassland 63
- Revision of the genus *Zopfia* Rabenh; review 687
- Revisions of *Torula* species. *Torula brachiata*, *T. maculans*, and *T. resiniae* reexamined 666
- Ribeiro, O. K., D. C. Erwin, and G. A. Zentmyer. An improved synthetic medium for oospore production and germination of several *Phytophthora* species 1012
- Richardson, D. H. S. Vanishing lichens; review 682
- Rickson, Fred, and William Denison. Ascomycete invasion of glycogen-rich Müllerian-body tissue of *Cecropia obtusifolia* (Moraceae) 1043
- Rinaldi, Augusto, and Vassili Tyndalo. Complete book of mushrooms; review 684
- Rogers, A. L. See Johnson et al. 108
- Rogers, Jack D. A large-spored variety of *Hypoxylon uniapiculatum* 1061
- The ascospore of *Hypoxylon glycyrrhiza* 657
- Rogers, Milton A. See Mims and Rogers 638
- Roncadori, Ronald W. See Cole et al. 701
- Roxon, J. E. See Jong and Roxon 424
- Rust fungi, western 175
- Samson, R. A. Paecilomyces and some allied Hyphomycetes; review 1085
- Saville, D. B. O. *Mundkurella mossii*, a smut of *Aralia nudicaulis* 273
- [Review of] Evolution of the microbial word 202
- Scheetz, Raymond W. See Nelson and Scheetz 733
- Schenck, N. C., S. O. Graham, and N. E. Green. Temperature and light effect on contamination and spore germination of vesicular-arbuscular mycorrhizal fungi 1189
- See Ramirez et al. 1039
- Schoknecht, Jean D. See Crane and Schoknecht 666
- See Keller et al. 1001
- Sclerotiniaceae VIII. The generic name *Pachydisca* 161
- Sclerotiniaceae IX. *Coprotinia* 320
- Sclerotiniaceae X. *Ciboriella*, a taxonomic synonym of *Lanzia* 569
- Shaffer, Robert L. The major groups of Basidiomycetes 1
- See Homola and Shaffer 428
- Sherwood, Martha. [Review of] Vanishing lichens 682
- Simplified method for sporangial production by *Phytophthora cinnamomi* 1233
- Sinclair, W. A. See Stack et al. 167
- Singer, Rolf. Albert Pilát (1903-1974) 445
- [Review of] *Agarikovye Shlyapochnye Griby* (Por. Agaricales) Primorskovo Kraya 1076
- [Review of] *Hrivobite Huby* 440
- See Machol and Singer 203
- Shotwell, Odette L. See Hesselstine et al. 392
- Simonson, Lloyd G., and Anthony E. Liberta. New sources of fungal dextranase 845

- Singh, R. N., and V. P. Tewari. A new species of *Poculum* from India 1071  
 ———. See Tewari and R. N. Singh 1052
- Sinski, James T. Dermatophytes in human skin, hair and nails; review 893
- Skehel, J. J. See Carlile and Skehel 201
- Sleigh, M. A., and D. H. Jennings. Transport at the cellular level; review 443
- Smith, Alexander H. [Review of] *Cortinari* Fr. und nahe verwandte Gattungen in Südamerika 1079  
 ———. See Mitchel and Smith 672
- Soil fungi 293  
*Eleutherascus* 293  
 rice residue effect 280
- Soil, thermophilic microorganisms 157
- Soil organisms and decomposition in tundra; review 688
- Some effects of zinc on the utilization of carbon sources by *Monascus purpureus* 806
- Some three-dimensional aspects of *Ceratocystis ulmi* as observed by high-voltage electron microscopy 332
- Sommer, Noel F., and Louis Beraha. *Diaporthe actinidiae*, a new species causing stem-end rot of Chinese gooseberry fruits 650
- Sorocarp-producing protist 873
- Sorodiplophrys: an unusual sorocarp-producing protist 873
- Sparrow, F. K. Observations on chytridiaceous parasites of phanero-gams. XXIII. Notes on *Physoderma* 552
- Spaulding, Earl H. See Lennette et al. 894
- Species of *Bourdötia* and *Basidiendron* (Tremellaceae) of the U.S.S.R. 904
- Spermatophytes  
*Abies* 747, 940  
*Agrostis* 38  
*Allium* 409, 882, 887  
*Alnus* 747, 940  
*Andropogon* 38, 853  
*Anthoxanthum* 38  
*Arachis* 157, 713  
*Brassica* 713  
*Cannabis* 427  
*Cecropia* 1043  
*Celtis* 315, 415  
*Deschampsia* 38  
*Dianthus* 713  
*Dioscorea* 313  
*Festuca* 38, 886  
*Lagenaria* 713  
*Lemna* 427  
*Luffa* 713  
*Oryza* 280  
*Oxalis* 427  
*Panicum* 38  
*Picea* 747  
*Pinus* 218, 233, 345, 747, 800, 1178  
*Prunus* 864  
*Pseudotsuga* 746, 747, 940  
*Quercus* 38  
*Raphanus* 427  
*Ricinus* 713  
*Saccharum* 57  
*Sorghastrum* 38  
*Tsuga* 747  
*Ulmus* 32, 415  
*Zea* 57
- Sporulation 780, 1025
- Sporulation by *Ustilago enneapogonis* in axenic culture 1229
- Stack, R. W., W. A. Sinclair, and A. O. Larsen. Preservation of basidiospores of *Laccaria laccata* for use as mycorrhizal inoculum 167
- Stalagtites associated fungi 171
- States, Jack S. Intrahyphal hyphae in the basidiomycete *Gloeophyllum* (Lenzites) *saepiarium* 417  
 ———. Normal basidiocarp development of *Gloeophyllum* (Lenzites) *saepiarium* in culture 1166
- Status of three western rust fungi 175
- Stem-end rot of Chinese gooseberry fruits 650
- Stevenson, John A. Fungi of Puerto Rico and the American Virgin Islands; review 1085
- Stoianovitch, Carmen. See Olive and Stoianovitch 1087
- Streit, Waltraud. See Hohl and Streit 367
- Stone, E. L. [Review of] Biology of plant litter decomposition 684
- Studies of *Disciseda* (Gasteromycetes) in Colorado 586
- Studies of some Tremellaceae. V. A new genus, *Efibulobasidium* 147
- Studies on *Cercospora* and allied genera. V. *Mycovellosiella* Rangel, and a new species of *Ramulariopsis*; review 898
- Studies on Sphaeropsidales in culture; review 688
- Stuntz, D. E. See Grund and Stuntz 19
- Subramanian, C. V., and K. Natarajan. Two new hyphomycetes from India 1211

- Substitution of the radiation requirement for sporulation by host tissue in *Dendrophoma obscurans* 1025
- Substrate for uniform production of perithecia in *Gibberella zeae* 1101
- Sundberg, Walter J., and James M. Trappe. Notes on *Zelleromyces cinnabarinus* (Basidiomycetes, Hydnangiales) 1176
- Sutton, B. C. Coelomycetes. V. *Coryneum*; review 1084
- Swarm cell ultrastructure in *Ceratomyxa fruticulosa* 733
- Syncephalis californica*, a mycoparasite inducing giant hyphal swellings in species of *Mucorales* 863
- Synergistic color variants of *Aureobasidium pullulans* 342
- Szabó, I. M. Microbial communities in a forest-rendzina ecosystem; review 442
- Szaniszlo, P. J. See Gustafson et al. 942
- Taber, Ruth Ann, and Robert E. Pettit. Occurrence of thermophilic microorganisms in peanuts and peanut soil 157
- Tallgrass prairie 852
- Tansey, Michael R. See Appleton and Tansey 882
- See Hasselbring et al. 171
- , and Judith A. Appleton. Inhibition of fungal growth by garlic extract 409
- Taxonomic status of *Badhamia ovispora*: a myxomycete with unique spores 1001
- Taxonomic studies in the Myxomycetes. IV. *Protophysarum phloiogenum*, a new genus and species of Physaraceae 32
- Taxonomy of *Corticium chrysocreas* and *Phlebia livida* 495
- Technique for direct observation of nematode trapping by fungi on soil 420
- Temperature and light effect on contamination and spore germination of vesicular-arbuscular mycorrhizal fungi 1189
- Temperature effect
- Aspergillus* 1187
- Chaetomium* 722
- Nectria* 83
- Penicillium* 1187
- Tewari, V. P., and R. N. Singh. Two new species of *Neobulgaria* from India 1052
- See Khare and Tewari 972
- See Singh and Tewari 1071
- Thermophilic fungi 780, 961
- Thermophilic microorganisms 157
- Transport at the cellular level; review 443
- Trappe, James M. Helen Margaret Gilkey (1886-1972) 207
- The genus *Fischerula* (Tuberales) 934
- See Gerdemann and Trappe 687
- See Ho and Trappe 886
- See Sundberg and Trappe 1176
- Traut, Joseph P. See Lennette et al. 894
- Tree rusts of western Canada; review 1083
- Tremellaceae 147, 904
- Tremellales 991
- Trichomycetes 120
- Tschanz, A. T., and R. K. Horst. A substrate for uniform production of perithecia in *Gibberella zeae* 1101
- Tuberales 934
- Tuveson, R. W., and L. T. Chang. Genetic investigations with *Dipodascus uninucleatus* 511
- Two new hyphomycetes from India 1211
- Two new species of *Ceratocystis* 715
- Two new species of *Neobulgaria* from India 1052
- Two nomenclatural changes in *Ravenelia* 1042
- Tylutki, Edmund E. See Ovrebø and Tylutki 75
- Tyndalo, Vassili. See Rinaldi and Tyndalo 684
- Types of abnormal apothecia produced by *Sclerotinia sclerotiorum* 89
- Typhula erythropus: II. Sclerotial germination and basidiocarp production 128
- Ultrastructural studies on *Thermomyces lanuginosa* and certain other closely related thermophilic fungi 961
- Ultrastructure
- Arcyria* 638
- Blastocladiella* 518
- Ceratocystis* 332
- Ceratomyxa* 733
- Digitatispora* 172
- Nia* 172
- Ultrastructure of ascus, ascospore and ascocarp in *Neurospora lineolata* 367
- Ultrastructure of the formation of chains of conidia in *Memnoniella echinata* 760
- Upadhyay, H. P., and W. B. Kendrick. Prodomus for a revision of *Ceratocystis* (Microascales, Ascomycetes) and its conidial states 798
- Use of solid media for detection of enzyme production by fungi 597

- Vanishing lichens; review 682  
 Variation in vivo and isolation of *Aspergillus fumigatus* from a case of human aspergillosis 1114  
 Vassilieva, L. N. *Agarikovye Shlyapochnye Griby* (Por Agaricales) Primorskovo Kraya; review 1076  
 Vesicular-arbuscular mycorrhizal fungi 886, 1039  
 von Arx, J. A. On *Thielavia* and some similar genera of Ascomycetes; review 1239  
 ———. The genera of fungi sporulating in pure culture; review 892  
 ———, and E. Müller. A re-evaluation of the bitunicate Ascomycetes with keys to families and genera; review 1239  
 Waterhyacinth rust 653  
 Webster, R. K. See Keim et al. 280  
 Welden, A. L. *Lopharia* 530  
 Wells, H. See Hawksworth and Wells 687  
 Wells, Kenneth. Studies of some Tremellaceae. V. A new genus, *Efibulobasidium* 147  
 ———. See Hung and Wells 1181  
 Wells, K., and A. Rativiiir. The Species of *Bourdotia* and *Basidiodendron* (Tremellaceae) of the U.S.S.R. 904  
 Wheeler, J. E. See Bloss and Wheeler 303  
 Wick, C. M. See Keim et al. 280  
 Wickerham, L. J., and C. P. Kurtzman. Synergistic color variants of *Aureobasidium pullulans* 342  
 Wicklow, D. T. Fire as an environmental cue initiating ascomycete development in a tallgrass prairie 852  
 ———. See Angel and Wicklow 63  
 Willetts, H. J. See Kosasih and Willetts 89  
 Wilt of Bambarra groundnut 709  
 Windels, Carol E. See Kommedahl et al. 38  
 Yokoyama, Tatsuo. *Pestalotia distincta* refound in Japan 1032  
 Yoruba people 311  
 Zentmyer, G. A. See Ribeiro et al. 1012  
 Ziller, Wolf G. The tree rusts of western Canada; review 1083  
 Zinc effect  
*Monascus* 806  
 Zoopathogenic fungi 882  
 Zoospore behavior 425  
 Zoosporogenesis 518  
*Zygopolaris*, a new genus of Trichomycetes producing zygospores with polar attachment 120  
 Zygospore formation in *Mortierella alpina* and *M. spinosa* 678  
 Zygospores,  
*Zygopolaris* 120

## FUNGOUS TAXA INDEX

The Fungous Taxa Index includes genera, infrageneric taxa, species, the infraspecific taxa. New taxa and the pages where they are published are in bold-face type. An attempt has been made to correct mistakes in the spelling of scientific names where mistakes occur in the text. Synonyms are indicated by italicized page numbers. Illustrations are indicated by f preceding page numbers on which legends occur.

- Absidia* 394, 396, 397, 399, 400, 407, 883;  
*californica* 692; *corymbifera* 398;  
*ramosa* 398, 692  
*Achlya* 1022; *asterophora* 116, 117;  
*decorata* 116, 117; *pseudoradiosa*  
 108-119, 117; *radiosa* f 110, f 111;  
*spinosa* 118; *stellata* 108-119, f 111,  
 f 114; *turfosa* 116, 117  
*Acomposomyces* 633  
*Acremoniella verrucosa* 284  
*Acremonium* 799  
*Actinomucor elegans* 396, 397  
*Aerobacter aerogenes* 602  
*Agaricus* 1235, 1236; *bisporus* 308, 1236;  
*hirsutus* 28; *placomycetes* 1068; *sylvicola* 1068  
*Agrocybe broadwayi* 313  
*Agyrium atrovirens* 152  
*Aleuria* 228; *annamitica* 181; *leucoloma*  
 977  
*Aleurina* 228  
*Aleurodiscus amorphus* 1209

- Allescheria boydii* 883, 1118  
*Allomyces arbuscula* 410; *macrogynus* 518; *neo-moniliformis* 518  
*Allophylaria subcilioides* 1067  
*Alternaria* 284, 1022; *alternata* 284, 410, 695; *raphani* 695; *solani* 1030  
*Alytoporium fulvum* 217  
*Amanita bisporigera* 1068; *brunnescens* 1068; *flavoconia* 1068; *muscaria* 1209; *vaginata* 1209; *virosa* 1068  
*Amauroascus* 301; *verrucosus* 301  
**Amerobotryum** 1211, 1212; **indicum** 1211, f 1213, f 1214  
*Amphisphaeria* 193  
*Ampullifera* 1037  
*Ampulliferina* 1037  
*Amylostereum areolatum* 548  
*Anguillospora* 1022  
*Annajenkinsia* 903  
*Anthina* 221  
*Anthostomella cecropiae* 1047  
*Anthracobia* 1058, 1059; *humiliima* 1058-1061, f 1059; *melaloma* 261, 1067; *muelleri* 1059  
*Antromycopsis* 1237, 1238  
*Aphanoascus* 1143-1147; *cinnabarinus* 1143; *var macrosporus* 1145  
*Aphanomycopsis bacillariacearum* 931; *desmidiella* 931; *punctatus* 931; *saprophyticus* 931; **sexualis** 923-933, f 926, f 928, f 930  
*Apioportha* 410  
*Apiosporina collinsii* 1208; *morbosa* 1208, 1209  
*Arachniotus* 293, 301; *lectardii* 293  
*Arachnopeziza eriobasis* 1067  
*Arcyria carnea* 647; *cinerea* 638-649, f 640, f 642, f 643, f 644; *denudata* 458, 1067; *incarnata* *var helvetica* 458; *pomiformis* 1067  
*Areolospora* 661  
*Armillaria* 81; *mellea* 303; *zelleri* 75, 80, 81  
*Armiliariella mellea* 412, 1209; *tabescens* 1068  
*Arnium* 66, 69; *triepitheca* 66  
*Arrhytidia involuta* 995; *var boliviensis* 995  
*Arthrimum* 1022; *phaeospermum* 695  
*Arthrobotrys* 421, 422, 423  
*Ascobolus* 71, 249, 729; *albidus* 250; *carbonarius* 248, 250, 855, 856, 857; *cinereus* 241; *crenulatus* 855; *immersus* 66, 67, 69; *lineolatus* 410  
*Ascochyta* 695  
*Ascortricium anomalum* 249  
*Ascodesmis* 298, 299, 300, 301; *nigricans* 293, 261, 299, 300; *porcina* 293, 299, 300, 301  
*Ascophanus* 241, 253  
*Ascotremella* 1052  
*Aspergillus* 197, 283, 285, 286, 287, 288, 290, 394, 396, 399, 400, 598, 603, 605, 674, 691, 695, 696, 697, 698, 767, 770-779, 1146, 1187-1189; *amstelodami* 410; *awamori* 697; *candidus* 396, 693; *carneus* 850; *chevalieri* 697; *citrinum* 1188; *clavatus* 396, 697; *cyclopium* 1188; *duricaulis* 693; *ficuum* 693, 695, 697; *flavipes* 285; *flavus* 393, 394, 395, 396, 397, 398, 399, 400, 401, 402, 403, 404, 405, 406, 408, 674-678, 689, 693, 695, 696, 698, 699, 1187, 1188; *fumigatus* 158, 396, 399, 400, 406, 407, 598, 604, 693, 770-799, f 773, f 775, 781, 792, 793, 883, 1114-1118, f 1115, f 1117; *var ellipticus* 770, 774, 778; *glaucus* 285, 396, 399, 400, 407; *luchensis* 598; *nidulans* 410, 1118, 1187, 1188; *niger* 285, 395, 396, 398, 399, 400, 401, 402, 403, 404, 406, 407, 410, 676, 691, 693, 695, 698, 729, 813, 815; *ochraceus* 397, 693, 696, 699, 1187, 1188; *oryzae* 693; *parasiticus* 395, 398, 407, 689, 693, 695, 696, 698, 699; **phialiseptus** 771-779, f 772, f 775; *repens* 693, 697, 699; *restrictus* 693; *ruber* 693, 697; *sclerotiorum* 397, 408; *septatus* 778; *tamarii* 693; *terreus* 285, 396, 399, 400, 406, 407, 693, 697; *urticae* 1188; *ustus* 693; *versicolor* 285, 396, 693, 696, 699, 1187; *viridicatum* 1188; *wentii* 285, 396, 693  
*Asterophora lycoperdoides* 1209  
*Athelia bicolor* 1209  
*Aureobasidium* 691, 1022; *pullulans* 342-361, 693  
*Auricularia auricula* 314, 1068, 1209; *delicata* 996; *fuscouscinea* 997; *mesenterica* 997; *polytricha* 314, 997  
*Auriscalpium vulgare* 1209  
  
*Bacillus cereus* 602; *subtilis* 602  
*Bactridium* 1071  
*Badhamia* 1003, 1007, f 1009, 1218-1222; *affinis* 481, 482, 1005, 1218; *alexandrowiczii* 1005; *chrysotricha* 1005; *dearnessii* 481; *goniospora* 481; *iowensis* 1222; *nitens* 1005; *obovata* 1067; *var orbiculata* 481; *ovispora* 1001-1011, f 1006, f 1008, f 1009; *panicea* 1067; *var nivalis* 482; *var panicea* 482; **rugulosa** 1219, f 1220, 1221; *viridescens* 482  
*Barbeyella minutissima* 466  
*Barssia oregonensis* 743, 744, 746  
*Basidiiodendron* 909-922; *caesiocinereum* 914, f 916, 917, 919; *cinereum* 911, f 912, 914; **cremeum** 909, f 912; *deminutum* 918, 919; *eyrei* 911, 917,

- 919, f 920, 921; luteogriseum 909, 918; rimosum 914; rimulentum 919
- Bisporomyces* 249
- Bjerkandera adusta* 1209, 1211
- Blakeslea trispora* 866
- Blastocladiella emersonii* 518–529, f 520, f 522, f 524, f 525, f 526
- Blogiascospora* 188, 193
- Boletus* 1068, 1071; *chrysenteron* 1068; *edulis* 1209
- Bombardia brachyura* 860
- Botryobasidium subcoronatum* 1209; *vagum* 1209
- Botryodiplodia theobromae* 695, 698
- Botrysphaeria marconii* 900
- Botrytis* 220, 221, 222, 223, 226, 1022; *carnea* 218; *cinerea* 222; *crystallina* 214–240; *dichotoma* 223; *epigaea* 220, 221, 222; *fulva* 216, 217, 218, 222, 231, 234; *lanea* 222; *luteo-brunnea* 218, 231, 233; *rosea* 222; *spectabilis* 214–240
- Bourdotia* 904–909; *caesia* 908; *caesiocinerea* 915; *cinerea* 911, 914, 998; *cinerella* 914; *deminuta* 918; *eyrei* 918; *galzinii* 906, f 907, 908, 909; *mucosa* 918; *obscura* 998; *petiolata* 905, 906; *pululahuana* subsp *galzinii* 905, 906
- Bovista* 594; *candidum* 586; *circumscissum* 586
- Brachybasidium* 9
- Broomella* 188, 193
- Byssoclamys* 1145, 1146; *fulva* 1145; *nivea* 1145, 1146; *zollerniae* 1145
- Byssus* 221
- Cacumisporium capitulatum* 1211
- Cainia* 193
- Calocera cornea* 995, 1068; *viscosa* 1209
- Calomyxa* 457; *metallica* var *metallica* 457
- Caloscypha fulgens* 250
- Calosphaeria* 721
- Calvatia* 588; *craniiformis* 1068; *cyathiformis* 314, 593, 1068
- Calycella* 584
- Candida* 284, 349, 360; *albicans* 410, 883; *curvata* 351; *guilliermondii* 883; var *guilliermondii* 344, 349; *lipolytica* var *lipolytica* 351, 352; *luteolus* 353; *parapsilosis* 883; *reukauffii* 351; *tropicalis* 883; *utilis* 352, 360
- Cantharellula umbonata* 1209, 1210
- Cantharellus cibarius* 1068, 1209; *lutescens* 1068; *odoratus* 1068; *tubaeformis* 1209
- Carouxella* 125, 126; *scalaris* 124
- Catenaria* 264–272; *allomyces* 271; *anguillulae* 271; *sphaerocarpa* 271; *spinosa* 264–272, f 266, f 268, f 270, 932
- Cavostelium* 1100; *bisporum* 739
- Cenococcum graniforme* 952–960
- Cephalosporium* 284, 287, 288, 289, 394, 396, 410, 691, 694, 1022; *acromonium* 694; *lamellaecola* 171
- Ceratiomyxa* 733; *freyana* 450; *fruticulosa* 450, 733–740, f 735, f 737, 1067; *mucida* 450
- Ceratocystiopsis* 798, 799; *minuta* 800; *minuta-bicolor* 800, f 801
- Ceratocystis* 715–721, 798–805; *adiposa* 766; *autographa* 720; *cana* 802, f 802; *coerulescens* 720; *fraxinopennsylvanica* 719, f 719, f 720; *introtroctrina* 802, f 803; *minuta-bicolor* 800; *moniliformis* 716; *perfecta* 718; *pilifera* 716, 717, f 718; *ponderosae* 715, f 717, f 718; *sparsa* 800, f 803; *ulmi* 332–341, f 335, f 336, f 337
- Ceratophorum* 1037
- Ceratostomella ips* 744
- Cerinomyces lagerheimii* 995
- Ceriophora* 193
- Cerotelium tanakae* 1068
- Chadefaudia balliae* 635
- Chaetomium* 158, 284, 287, 410, 691, 722, 728, 855, 970, 1048; *bostrychodes* 860; *cuniculorum* 66; *caprinum* 860; *cochliodes* 390; *globosum* 410, 730, 860, 1048–1052, 1225, 1227; *leproplacinum* 860; *pachypodioides* 860; *pulchellum* 66; *rectopilum* 722–732, 1049, 1050; *semispirale* 860; *spirale* 692; *subspirale* 66; *thermophile* 793; var *coprophile* 722, 723, 729, 730, 782, 785, 786, 787, 789, 791, 962, 965, 1050, 1225, 1226, 1227
- Chaetoporellus latitans* 1209
- Chaetoporus* 549
- Chalara* 799
- Chalaropsis* 799
- Cheilymenia* 261; *stercorea* 260
- Chloridium minutum* 249
- Chlorosplenium aeruginascens* 1208; *chlora* 1067; *rugipes* 1067
- Choanephora cucurbitarum* 382, 383, f 384, 866, 1128–1142, f 1139, 1148–1157
- Choiromyces maendriiformis* 742
- Chondrioderma montanum* 486
- Chromelosporium* 221, 223, 229; *carneum* 218, 222, 234; *coerulescens* 219; *fulva* 225; *fulvum* 216, 231; *macrosperrum* f 229, 230; *ochraceum* 217, 218, 219, 223, 225, 234; *ollare* 214–240; *trachycarpum* 230; *tuberculatum* 217, 221, 222
- Chrysosporium pannorum* 217
- Ciboria rufescens* 569, 570, 574



- Ciboriella 569-585; griseliniae 576; rufescens 570; subcinnabarina 579  
 Ciboriopsis 576  
 Circinella 396, 397  
 Cladobotryum verticillatum 1211  
 Cladoderris pritzelii 541  
 Cladosporium 283, 287, 288, 289, 290, 598, 602, 603, 1022; carrionii 987; cladosporioides 693; resinae 410; sphaerospermum 693; werneckii 883, 942-951, f 944, f 945, f 947  
 Clasterosporium 1037  
 Clastoderma **microcarpa** 475  
 Clathridium 188, 193  
 Clavariadelphus ligulus 1209; pistillaris 1209  
 Clavicornia pyxidata 1068, 1209  
 Clavulina cristata 1209  
 Clavulinopsis laeticolor 1209  
 Climacodon septentrionale 1068  
 Clitocybe 1068; clavipes 1209; gibba 1068; illudens 1161; odora 1068; subconnexa 1209  
 Clitocybula abundans 1068  
 Clonostachys 220, 221, 223; spectabilis 219, 223, 225, 231, 233, 234, 235  
 Coleosporium 221  
 Colletotrichum 891; cereale 56; falcatum 56, 57, 60; graminicola 56-62, f 58, f 59; lindemuthianum 1036; lineola 56  
 Collocladaria oculatum var robustum 464; robustum 464  
 Collybia 826, 829, 1068; butyracea 1209; confluens 1209; dryophila 1068; 1209; tuberosa 1209; velutipes 410  
 Coltricia perennis 1209  
 Comatricha 415, 477; aggregata 480; alpina 480; alta 476, 477; anastomosans 477; brachypus 474; debaryanum 476; dictyospora 416; elegans var microcarpa 475; filamentosa 476, 477; fragilis 477, 478; laxa 478; var laxa 479; var microspora 477, 479; var rigida 480; **microcarpa** 476, 477, 479, 480; mirabilis 416; nigra 474, 477, 478; var alta 476; var brachypus 474; nodulifera 416; orthotricha 413-415-417, f 414; pachypus 476; pulchella 474; rubens 416; subcaespitosa 474; suksdorfii var aggregata 480; var suksdorfii 480; typhoides 1067  
 Coniochaeta 68, 852, 857; discospora 66, 69, 70, 852, 854, 855, 856, 857, 860; scatigena 66, 69, 70; tetraspora 852, 854, 855, 856, 857, 860  
 Coniophora suffocata 410  
 Coniophorella olivacea 1209  
 Conioscypha 424, 425; lignicola 424; varia 424, 425  
 Coniothyrium 284, 410; fuckelii 695, 698  
 Conoplea 250; juniperi var juniperi 1071  
 Cookeina sulcipes 250; tricholoma 250  
 Coprinus 1068; africanus 315; atramentarius 410; cinereus 339; ephemerus 315; lagopus 1185; miser 67, 69; plicatilis 1068; stercorarius 67, 69, 1204  
 Coprobia 261; granulata 260  
 Coprotinia 320-331, 325; cuniculi 320, 326; minutula 320, 325  
 Coprotus disculus 67, 69; glaucellus 67, 69; lacteus 855; sexdecimsporus 67; winterii 67, 68  
 Cordyceps militaris 1208; ophioglossoides 1208  
 Coreomyces curvatus 632  
 Coriolus hirsutus 1209; versicolor 1068, 1209, 1211  
 Corticium caesiocinereum 914; chromoplumbia 500; chrysocreas 495-510, 497, 499; dregeanum 530; flavocroceum 498, 500, 506; galactinum 410; involucrem 918; leve 541; lividum 495, 496, 504; rimosissima 544  
 Cortinarius 1068; armillatus 1209; distans 1068; semisanguineus 1209  
 Costantinella 250  
 Craterellus cornucopioides 1209  
 Crepidotus 1068, 1209; fusisporus 1068; lundellii 1068  
 Cribraria atrofusca 454; 455; dictyospora 453; exigua 453; ferruginea 453; lepida 453, 454; meylanii 455, 456; piriformis var fusco-purpurea 454; var macrocarpoidea 455; var piriformis 454; rubiginosa 456; var longipes 455, 456; var rubiginosa 456; rufa 453; tenella 453; violacea 413, 454; vulgaris 455; f macrocarpoidea 455  
 Crucibulum levis 1068, 1209  
 Cryptococcus 349, 350, 360; albidus var albidus 351; var diffuens 351; flavus 351; guilliermondii var guilliermondii 350; laurentii var laurentii 351; luteolus 351, 356; neoformans 410, 1197-1200  
 Cryptomycina pteridis 1208  
 Cunninghamella 396, 397; echinulata 410, 702, 704, 706, 707  
 Curvularia senegalensis 695  
 Cyathus striatus 1068  
 Cylicogone 424, 425; regenerans 424, 425  
 Cylindrocarpon 284, 1022  
 Cyphellopsis anomala 1209  
 Cystoderma aminathinum 1209; cinnabarinum 1209; granulosum 1209  
 Cytidia salicina 1209

- Dacrymyces ancoratus* 992, 993, f 994, 995; *deliquescent* var *deliquescent* 995; *falcatus* 993; *palmatus* 993, 995; *punctiformis* 995  
*Dacryomitra nuda* 1068  
*Dacryopinax dennisii* 995; *elegans* 996; *spathularia* 996; *spathulatus* 1068  
*Dactylaria gallopava* 883; *mycophila* 1071  
*Dactylomyces* 1145, 1146; *crustaceus* 883, 885, 1146; *thermophilus* 1146  
*Daedaleopsis confragosa* 1209  
*Daldinia concentrica* 315, 1067; *vernica* 860  
*Darlua* 656  
*Dasyscyphus virgineus* 1067  
*Debaryomyces* 349  
*Delitschia marchalii* 66, 67; *patagonica* 66, 69; *winteri* 66, 69, 70  
*Dematium* 221, 222; *nigrum* 350; *ollare* 215, 216, 231, 233  
*Dendroecia farlowiana* 1042  
*Dendrophoma obscurans* 1025-1031, f 1028  
*Dendrothele nivosa* 1068  
*Dentinum repandum* 1068, 1209  
*Dermatea brunneo-pruinosa* 192; *lobata* 190  
*Desmazierella acicola* 250  
*Diachea cerifera* 627; var *cerifera* 463; var *sessilis* 463  
*Diacheopsis* 464, 616-628; *cerifera* 627; *depressa* 617, 618, 619, f 620; *effusa* 618, f 622, 623, 624, f 626; *insecta* 617, 618, 624, 625, 627; *metallica* 449, 464, 616, 617, 618, 624, 625, f 626, 627; *pienica* 617, 618, 619; *serpula* 618, 619, f 620, 621, f 622, 623, 624  
*Dianema* 456; *depressum* 457  
*Diaporthe* 650, 692, 698, 699; *actinidiae* 650, f 651; *medusaea* 651; *umbrina* 900  
*Diatrype stigma* 1067, 1068, 1069, 1208, 1209  
*Dichobotrys* 1058, f 1059, 1060  
*Dictydium* 456; *longipes* 456  
*Diderma* 484, 616; *alpinum* 484, 485, 487; var *alpinum* 484, 485; var *macrosporum* 484, 485; *asteroides* var *asteroides* 485; *chondrioderma* 1067; *evelinae* 484; *globosum* var *alpinum* 484; *montanum* 489; var *montanum* 486; var *roseum* 486; *niveum* 484; var *luteum* 485; *microcarpum* 485, 486; *montanum* 486; *niveum* 486; var *ferruginea* 487; var *niveum* 487; *simplex* var *echinulatum* 487; var *simplex* 487; *testaceum* 1067; *trevelyani* var *nivale* 488; var *trevelyani* 488; *umbilicatum* 486; var *flavogenitum* 488, 489; var *macrospora* 489; var *umbilicatum* 488, 489  
*Didymella exigua* 693, 699  
*Didymium* 1218; *decipiens* 489; *difforme* 98; *dubium* 490, 491; *iridis* 101, 104, 105; *listeri* 491; *megalosporum* 1067; *nigripes* 98; *nivolum* 489, 490, 491; *orthonemata* 1218; *squamulosum* 66, 69; *synsporon* 1218; *wilczekii* 490, 491; f *pulverulenta* 489, 490  
*Didymostilbe* 1071  
*Digitatispora marina* 172-174, f 173  
*Diplodia* 394, 695; *gossypina* 702, 704, 705; *natalensis* 365  
*Diplophrys* 877; *archeri* 873, 877; *stercorea* 873, 873  
*Dipodascus uninucleatus* 410, 511-517  
*Discina* 228; *cinerophila* 225, 230, 233  
*Disciseda* 586-596, f 589, f 590, f 592; *candida* 589, 591, 593; *cervina* 587, 594; *circumscissa* 586; *subterranea* 589, 591, 594  
*Dispora cornuta* 1129; *simplex* 1129; *parvispora* 1129  
*Ditiola radicata* 996  
*Doassansia comari* 560, 561  
*Ductifera calcarea* 998; *exidiodea* 998; *pululahuana* 998; *sucina* 998  
*Efibulobasidium* 147, 148-156; *albescens* 149, f 150, 152, 154; *rolleyi* 152, f 153, 154  
*Elaeomyxa cerifera* 463, 627; var *cerifera* 463  
*Elaphomyces* 953, 1208; *granulatus* 1208; var *granulatus* 743, 744, 747  
*Eleutherascus* 293-302; *lectardii* 293, 298, 299, 300, 301; *peruvianus* f 294, 295, f 296, f 297, 298, 300, 301  
*Eleutheromyella mycophila* 1211  
*Eleutheromyces subulatus* 1211  
*Elsinoë* 901; *australis* 901; *cinchonae* 901; *fawcetti* 901; *mangiferae* 901; *parthenocissi* 901; *phaseoli* 900; *piri* 901; *randii* 901; *solidaginis* 901; *veneta* 901  
*Emericella* 697; *rugulosa* 692  
*Emmonsia capsulata* 980-990, f 984, f 986  
*Encoelia furfuracea* 1208  
*Encomyces magnusii* 942  
*Endomyces ovetensis* 351  
*Endophragmopsis* 1037  
*Endophyllum lacus-regis* 279  
*Enerthenema papillatum* var *carneogriseum* 464, 465; var *papillatum* 465  
*Epicoccum* 284, 1022; *purpurascens* 693  
*Epidermophyton floccosum* 410, 883  
*Epidochium albescens* 147, 148, 149, 151  
*Erwinia carotovora* 602  
*Erysiphe aquilegiae* 1209  
*Escherichia coli* 513, 602, 1156

- Eupenicillium* 1146  
*Europhium* 798  
*Eurotium* 695, 697, 698; *chevalieri* 692; *repens* 692, 695, 697, 698; *rubrum* 692, 697, 698  
*Eutypa flavovirens* 860  
*Exidia glandulosa* 1068; *lutea* 998; *nuclcata* 908, 991, 998, 1181; *pergamena* 991, 992; *recisa* 1068; *rolleyi* 147, 148, 152; *tucumanensis* 998  
*Exidiopsis* 147; *cystidiophora* 911; *grisea* 998; *opalea* 999; *podlachica* 999  
*Exobasidium* 9  
  
*Favolus* 410; *alveolaris* 1068  
*Filobasidiella* 1197, 1198-1200; *neoformans* f 1198, 1199  
*Filobasidium* 1197  
*Fischerula* 934-941; *macrospora* 934, 935, f 937, 940; *subcaulis* 935, 936, f 937, f 938, f 939, 941  
*Flavodon* 550  
*Fomes* 1174; *annosus* 744; *everhartii* 410; *fomentarius* 1209  
*Fomitopsis cajanderi* 1068, 1210; *pinicola* 1210  
*Fuligo septica* 739  
*Fusarium* 38-44, 394, 395, 396, 398, 399, 400, 401, 402, 403, 404, 405, 406, 407, 408, 691, 696, 698, 709, 710, 711, 848, 891, 1022; *decemcellulare* 694; *episphaeria* 39, 42, 284; *fusarioides* 694, 1211; *merismoides* 694; *moniliforme* 39, 41, 171, 694, 846, 847, 848, 849, 850, 851; *nivale* 694, 696; *oxysporum* 39, 41, 42, 43, 284, 694, 702, 704, 706, 707, 709, 713; f *cubense* 793; f *lycopersici* 598, 603, 604; f *sp apii* 713; f *sp asparagi* 713; f *sp batatas* 713; f *sp betae* 713; f *sp callistephi* 713; f *sp carthami* 713; f *sp cassiae* 712; f *sp chrysanthemi* 713; f *sp conglutinans* 713; f *sp cubense* 713; f *sp cucumerinum* 713; f *sp cyclaminis* 713; f *sp dianthi* 713; f *sp fragariae* 713; f *sp gladioli* 713; f *sp glycines* 712; f *sp lagenariae* 713; f *sp lilii* 713; f *sp lufiae* 713; f *sp lupini* 712; f *sp lycopersici* 713; f *sp medicaginis* 712; f *sp melongenae* 713; f *sp melonis* 713; f *sp narcissi* 713; f *sp niveum* 713; f *sp passiflorae* 712; f *sp perniciosum* 712; f *sp phaseoli* 713, 714; f *sp pisi* 712, 713; f *sp rauvolfi* 713; f *sp ricini* 713; f *sp sesami* 713; f *sp spinaciae* 713; f *sp tracheiphilum* 712; f *sp tulipae* 713; f *sp vasinfectum* 713; f *sp voandzeiae* 714; *roseum* 39, 41, 42, 43, 1102; *semitectum* 694, 698; *solani* 39, 41, 43, 410; f *phaseoli* 729; *tricinctum* 41, 42  
*Fusicladium tremulae* 1036  
*Fusidium* 697  
  
*Gaeumannomyces graminis* 632, 1037  
*Galactinia* 223, 225, 226, 228, 229, 234  
*Galerina hypnorum* 879-882, f 880, f 881  
*Galiella rufa* 1067  
*Ganoderma applanatum* 1174; *lobatum* 1068; *oregonense* 410; *sessile* 1066, 1068  
*Gautieria* 743, 744, 747  
*Gastrum* 588; *saccatum* 1068; *triplex* 1068  
*Gelasinospora calospora* 854, 855, 856, 857, 860; *reticulospora* 860; *tetrasperma* 860  
*Geniculisporium serpens* 693  
*Genistella* 126  
*Genistellopsora* 126  
*Geoglossum glabrum* 1209; *simile* 1209  
*Geopora cooperi* f *gilkeyae* 743, 744, 747  
*Geopyxis* 250  
*Georgefischeria riveae* 1232  
*Geotrichum* 1022, 1118; *candidum* 410, 883, 1211  
*Gibberella fujikuroi* 171, 846; *zeae* 1101-1104, f 1104, f 1105  
*Gigaspora calospora* 1039-1041, 1192; *coralloidea* 1190, 1191, 1192; *heterogama* 1039-1041, 1190, 1191, 1192  
*Gilbertella persicaria* 866  
*Gliocladium deliquescens* 702, 704, 706, 707, 1071  
*Gliomastix* 284  
*Gloeocystidiellum porosum* 1210  
*Gloeocystidium caesiocinereum* 914; *chrysocreas* 498; *croceotrigens* 917; *eyrei* 917  
*Gleophyllum saepiarium* 417-420, f 418, 1166-1175, f 1170, f 1172, 1210  
*Gloeoporus dichrous* 1068, 1210  
*Glomerella* 56; *graminicola* 61; *tucumanensis* 57, 60, 61  
*Glomus* 886; *calospora* 1040; *macrocarpus* 887; *var macrocarpus* 887, 1039-1041; *mosseae* 886, 887, 1190, 1191, 1192  
*Glottia* 126; *ephemeridarum* 122  
*Gomphidius rutilus* 1210  
*Gomphus floccosus* 1210  
*Gonatophragmium* 1212  
*Graminella* 126  
*Graphilbum* 799, 800, f 803; *sparsum* 800  
*Graphium* 696, 798, 799, 1022  
*Grifola frondosa* 1069  
*Griphosphaerioma* 188, 193  
*Guepiniopsis alpina* 996; *buccina* 996  
*Guttulinopsis vulgaris* 875  
*Gyroporus castaneus* 1069

- Haliphthorax milfordensis* 932  
*Hansenula* 349; *anomala* var *anomala* 351; *wingei* 410  
*Hansfordia grisella* 1071  
*Harpella* 125, 126  
*Hebeloma crustuliniforme* 952-960; *sarcophyllum* 952-960  
*Helicogloea lagerheimii* 997  
*Helicoma* 891; *proliferans* 888-891, f 890; *resinae* 669, f 670, 671  
*Helicomycetes* 891  
*Helicosporium* 221, 891; *pannosum* 888; *viride* 888  
*Helicostylum* 1155  
*Helminthosporium* 284, 598, 603, 604; *gramineum* 1029; *pedicellatum* 284  
*Helotium* 569, 584; *castaneum* 190; *cuniculi* 326; *griseliniae* 569, 576; *guernisaci* 161, 163, 166; *immutabile* 1067; *scutula* 1209; *separabile* 1209; *subcinnabarinum* 569, 579, 584; *translucens* 1067  
*Helvella elastica* 1209, 1211; *macropus* 1208, 1209, 1211  
*Hemiascosporium* 299; *spinulosum* 293, 299  
*Hemicarpenteles* 1146  
*Hemitrichia* 460; *abietina* 459; *helvetica* 459; *montana* 460; *wigandii* var *aurantiaca* 459; var *lutea* 459  
*Herpotrichiella spinifera* 1067  
*Heterochaete andina* 999; *gelatinosa* 999  
*Heterochaetella cystidiophora* 999  
*Hirschioporus abietinus* 1210; *laricinus* 1210; *pargamensis* 1069, 1210  
*Histoplasma capsulatum* 409, 410, 412, 980, 981, 983, 985, 987, f 988, 989; var *duboisii* 985; *duboisii* 980, 981, 982, 983, 985, 987, f 988  
*Hohenbuehelia petaloides* 1069  
*Hughesinia chusqueae* 1037  
*Humaria granulata* 260; *leucoloma* 975, 977, 978  
*Humicola* 284, 614, 691, 781, 792, 962, 970, 1022; *grisea* var *thermoidea* 782, 786, 787, 789, 792, 961, 962, 965, f 966, 969; *insolens* 782, 786, 787, 789, 792, 961, 962, 965, 969; *languinosa* 158, f 159, 160, 693, 696, 697, 782, 786, 787, 789, 791, 792, 793, 883, 885  
*Hyalodendron* 799  
*Hyalopesotum* 799, 801, f 803; *intro-citrina* 802  
*Hyalorhinochlaediella* 799, 800, f 801; *minuta-bicolor* 800  
*Hyaloria pilacre* 997  
*Hyalotiella transvalensis* 188  
*Hydnellum scrobiculatum* var *zonatum* 1210  
*Hydnocystis arenaria* 742  
*Hydnotrya* 934  
*Hydnum cuteomarginatum* 547  
*Hygrophorus amarus* 672-674; *cantharellus* 1210; *coccineus* 1210; *conicus* 1069, 1210; *erubescens* 672, 673; *laetus* 1210; *pudorinus* 672, 674; *purpurascens* 672, 673  
*Hymenochaete curtisii* 1210; *fuliginosa* 1069; *tabacina* 1210  
*Hymenogaster parksii* 743, 744, 746, 747  
*Hymenopilella* 193; *hippophaes* 188; *sollmannii* 188  
*Hymenoscyphus* 569; *serotinus* 1067  
*Hypa* 221  
*Hyphelia* 221, 223; *terrestris* 223  
*Hypocopa merdaria* 66, 69  
*Hypocrea* 1067; *armeniaca* 1067; *aurantiaca* 1067; *rufa* 1067; *sulphurea* 1068  
*Hypocreopsis tremellicola* 1068  
*Hypomyces armeniacus* 1068, 1209; *cervinigenus* 1209; *lactifluorum* 1209, 1211; *luteovirens* 1209  
*Hypoxylon* 1068; *atropunctatum* 1068; *divergens* 1063; *fragiforme* 1068; *glycyrrhiza* 657-662, f 658, f 660, 662; *grenadense* var *macrospora* 1063, 1064; *quadratum* 1068; *rubiginosum* 1068; *unipiculatum* 1061-1065; var *macrosporum* 1062, 1063, 1064  
*Hysterangium* 743, 744, 746  
*Hysterographium fraxini* 1068; *mori* 1068  
*Inocybe* 19-31; *acriolens* 19, f 21, f 23; *apiosmota* f 21, 21, 22, f 23; *armoricana* var *phaeoderma* 30; *aurora* f 21, f 23, 24; *bongardii* 22; *calamistrata* 22, 30; *cinnamomata* 28; *fusciothurnata* f 25, 27, f 29; *hirsuta* 22; var *hirsuta* f 25, 28, f 29; *lanatodisca* 25; *lanatodisca* var *phaeoderma* 30; *obscura* 28; *parvispora* 27; *sororia* 31; *stuntzii* f 21, f 23, 25; *virgata* 28  
*Inonotus dryadeus* 1069  
*Iodophanus* 71, 242, 250; *carneus* 66, 67, 69, 855; *granulipolaris* 260  
*Irpex* 530, 550; *flavus* 547, 549, 550; *lacteus* 549, 1069; *tulipifera* 1210  
*Isaria tenuipes* 1071  
*Itersoniella* 693  
*Jafneadelphus* 1068  
*Jola hookeriarum* 997  
*Jugulospora rotula* 860  
*Kernia nitida* 66, 68, 69  
*Kneiffia chromoplumbia* 498  
*Kordyana* 9  
*Labridella* 188

- Labyrinthula 177, 179, 180, 873  
 Labyrinthuloides 878  
 Laccaria laccata 167-170, 1069, 1210;  
   ochropurpurea 1069  
 Lachnea cretea 260; equinus 261; mela-  
   loma 261; monascus 261; scutel-  
   linia 260; stercorea 260  
 Lactarius 1069, 1176, 1209; chrysorheus  
   1210; deceptivus 1069; hygropho-  
   roides 1069; indigo 1069; piperatus  
   1069; tabidus 1069; vellereus 1210;  
   volemus 1069  
 Lagenidium 932; rabenhorstii 932  
 Lambertella 320, 324, 325; **minutula** 320,  
   f 321, f 322, f 323  
 Lamproderma 33, 34, 464, 616; arcy-  
   rioides 473; arcyrionema var arcy-  
   rionema 466, 467; var japonicum  
   466; atroporum 467, 623; var atro-  
   sporum 467; var echinulatum 467;  
   var macrosporum 467; carestiae 469,  
   470, 471, 473; var **ovoideum** 470;  
   columbinum 468, 473, 474; var  
   sessile 463, 627; var subglobosum  
   473; cribrarioides 467; cristatum  
   468; cruchetii 468; echinosporum  
   468; fuscum 468, 469; guliellmae  
   469; inessum 617, 624; ovoideum  
   469, 470; var cucumer 470; var  
   ovoideum 470; var piriforme 470;  
   pulchellum 471; sauteri 469, 470;  
   var atro-griseum 471; var brunnes-  
   cens 472, 473; var fallax 471, 472;  
   var piriforme 470, 472; var pul-  
   chrum 472; var sauteri 470, 471,  
   472; var turbinatum 472; splendens  
   472, 473; var leucotrichum 473;  
   var splendens 473; subglobosum  
   473, 474  
 Lamprodermopsis 456; nivalis 456, 457  
 Lanzia 163, 330, 569-585; cornimaris  
   325; **cuniculi** f 325, f 326, **326**, f 327;  
   **griseliniae** f 575, 576, f 577, f 578,  
   579; **rufescens** 570, f 571, f 572,  
   f 573  
 Lasiobolus 253; ciliatus 67, 69, 253-263,  
   f 256, f 257, f 259; monascus 260  
 Lasiosphaeria 1068; brevicaudata 855,  
   856, 857; glabrata 1068; hirsuta  
   860; hispida 860; ovina 860  
 Leccinum chromapes 1210  
 Lentinellus 183  
 Lentodium squamulosum 182  
 Lenzites 1166-1175; betulina 410  
 Leocarpus fragilis 452  
 Leotia lubrica 1068; viscosa 1209  
 Lepidoderma 616; carestianum 490; ver-  
   micularis 492; var carestianum 492;  
   var flavescens 491; granuliferum 492  
 Lepidodermopsis 492  
 Lepiota 1210; sect Ovisporae 1210; acu-  
   tesquamosa 1069; clypeolaria 1210;  
   cristata 1069; fuscusquamea 1210;  
   rubrotincta 1069; ventrisospora  
   1210  
 Lepteutypa 193; cupressi 188; indica  
   188  
 Leptographium 798, 799  
 Leptonia 1069  
 Leptosphaeria 191  
 Leptosphaerulina argentinensis 410  
 Leucoloma hedwigii 975, 977  
 Leucopaxillus giganteus 1210  
 Leucosporidium 1197  
 Libertella 695, 698  
 Licea fimicola 66, 69; pusilla var pusilla  
   451; var pygmaea 450, 451; tenera  
   66, 69  
 Liceopsis jurensis 449, 452  
 Lipomyces starkeyi 410  
 Lipospora tucsonensis 176  
 Lopharia 530-551; areolata 547; chees-  
   manii 547; cinerascens 530, 533,  
   f 533, 536, 537, 539, 548, 549, 1210;  
   crassa 530, 531, 533, f 533, f 534,  
   535, 537, 539, 540, 542, 543, 544,  
   547, 548, 549; cystidiosa f 533,  
   f 535, 536, 538, 549; dregeana 530;  
   fulva f 532, f 535, 536, 538, 539,  
   543, 546, 549; heterospora 547;  
   involuta 548; javanica 536, 537;  
   lirellosa 531; mexicana f 532, 533,  
   f 534, 537, 539, 540, 548; mirabilis  
   536, 537; **nova-granata** 533, f 533,  
   f 534, **540**, 541, 542, 543, 548; ochra-  
   cea 538; papyracea 533, f 533, f 535,  
   541, 542, 548; papyrina f 533, 534,  
   f 534, 537, 540, 541, 542, 543, 547,  
   548, 549; phellodendri f 532, 535,  
   f 535, 539, 543, 544, 549; **rimosis-**  
   **sima** f 533, f 534, 535, 540, 542, 543,  
   **544**, 548; sharpiana 533, f 533,  
   f 534, 545, 548; spadicea f 532,  
   f 535, 536, 539, 545, 546, 549;  
   **umbrino-alutacea** f 532, f 535, 535,  
   539, 546, 549  
 Lycogala epidendrum 1067  
 Lycoperdellon 223  
 Lycoperdon 593; perlatum 1069  
 Malbranchea pulchella var sulfurea 158,  
   f 159, 160, 782, 786, 787, 789, 791;  
   pusillus 782  
 Marasmius 817-844, 1069; sect Andros-  
   acei 820; sect Chordales 826, 829,  
   831; sect Epiphylli 822; sect Sicci  
   840; androsaceus 820, 821; **arme-**  
   **niacus** 837, f 839, 840; aurantiacus  
   837; bellipes 834; **borealis** 831,  
   f 833, 834; calopus 831; capillaris  
   1069; corrugatus 837; delectans  
   1069; **epifagus** 821, f 823; foetidus  
   1069; glabellus 1069; graminum  
   1069; haematoccephalus 1069; **insip-**

- idus* 829, f 830, 831; *insititius* 826; *nigripes* 1069; *olidus* 822, f 824, 825, 826; *oreades* 1210; *pallidocephalus* 818, f 820, 820, 821; *plicatulus* 841; *prasiosmus* 826; *pruinatus* 840; *pulcherripes* 834; *querceus* 826; *scorodonius* 831; *siccus* 834, 1069; *spadiceus* 840, 841, f 842, 843; *spissus* 834, 837, f 837; *strictipes* 837; *uliginosus* 826, 827, f 828; *virginianus* 843  
*Margarita* 457; *metallica* var *intermedia* 457; var *microspora* 457; var *plasmodiocarpa* 457  
*Martellia* *ellipsospora* 743, 744, 746; *vesiculosa* 743, 744, 747  
*Martininia* 320; *panamaensis* 320  
*Melanconium* 697  
*Melanospora* *destruens* 1103; *inaequalis* 860  
*Meliola* 1036; *circinans* 1037  
*Melomastia* 193  
*Memnoniella* 763; *echinata* 760-769, f 762, f 764, f 765  
*Metarrhizium* 767  
*Merulius* *taxicola* 1210  
*Microascus* 691; *trigonosporus* 692, 696, 699  
*Micropera* *sorbi* 1211  
*Microsphaera* *euonymi* 1068; *penicillata* 1209  
*Microsporum* 434; *amazonicum* 1109-1113; f 1110; *audouinii* 883; *canis* 702, 707, 708, 883, 1112, 1113; *cookei* 1112; *distortum* 883; *fulvum* 883, 1112, 1113; *gallinae* 883, 885; *gypseum* 410, 883, 1112, 1113; *nanum* 883, 1112; *persicolor* 883, 1112; *racemosum* 1112; *vanbreuseghemii* 434, 435, 883, 1112  
*Mitteriella* 1037  
*Mollisia* 1068, 1209  
*Monascus* *purpureus* 806-816  
*Monilia* *sitophila* 860  
*Monochaetia* 188  
*Morchella* 250  
*Mortierella* 284, 285, 286, 287, 288, 678, 1022; *acuminata* 680; *alpina* 678-681, f 679, 679; var *renispora* 680; *antarctica* 680; *bainieri* 679; *beljakoviae* 681; *candelabrum* 679, 681; *elongata* 681; *ericetorum* 679; *marburgensis* 679; *minutissima* 679; *monospora* 680; *parvispora* 679; *pulchella* 679, 681; *ramanniana* 410, 1208; *renispora* 679, 680; *spinosa* 678-687, f 679; *thaxteri* 679, 680; *zychae* 679, 681  
*Mucor* 66, 171, 284, 285, 286, 287, 288, 394, 396, 397, 399, 400, 598, 602, 603, 605, 792, 970; *hiemalis* 692, 792, 866; *miehei* 782, 785, 786, 787, 789, 791, 793, 883, 1226; *plumbeus* 410, 412, 886; *pusillus* 158, f 159, 398, 692, 696, 697, 783, 785, 786, 787, 789, 793, 883, 962, 965; *racemosus* 692, 866; *rouxii* 948; *spinousus* 410, 692  
*Mundkurella* 274; *heptapleuri* 273, 274, f 276, 277; *mossii* 273-275-279, f 276  
*Mutinus* *elegans* 1069  
*Mycena* 1069; *haematopoda* 1069; *leaiana* 1069; *niveipes* 1069; *pura* 1069, 1210; *sanguinolenta* 1210  
*Mycoacia* *uda* 501, 504  
*Mycoarachis* *inversa* 66, 67, 68, 69  
*Mycogone* *cervina* 1211  
*Mycocleptodon* 549  
*Mycoplasma* *laidlawii* 1156  
*Mycosphaerella* *tulipiferae* 632, 633  
*Mycosyrinx* 274  
*Mycotypha* 221, 223, 410; *dichotoma* 218, 223, 231, 233; *microspora* 218, 410, 1154, 1155, 1156  
*Myriococcum* *albomyces* 158, 782, 785, 786, 787, 789, 791  
*Myriotheclium* *inundatum* 1211  
*Myxarium* 155; *hyalinum* 1210; *nucleatum* 908, 1181-1187  
*Nannizzia* *borellii* f 1110, 1112, 1113; *cajetani* 1112; *fulva* 1112, 1113; *grubyia* 434-436, 1112, 1113; *gypsea* 1112, 1113; *incurvata* 1111, 1112, 1113; *obtusa* 1112, 1113; *persicolor* 1112, 1113; *racemosa* 1112, 1113  
*Naucoria* *centuncula* 1069  
*Nectria* 410; *cinnabarina* 410, 1068; *episphaeria* 1068; *galligena* 83-88; *lactea* 1068  
*Nematostelium* 1100  
*Neobulgaria* 1052; *parvata* f 1054, 1055, f 1057; *pura* 1052; *rupicola* 1052, f 1053, f 1056  
*Neottiella* *leucoloma* 977  
*Neurospora* 99, 367-381, 856, 861; *crassa* 53, 54, 380, 513, 814, 985; *lineolata* 367-381, f 368, f 369, f 370, f 372, f 373, f 374, f 376, f 378; *sitophila* 365, 860, 985; *tetrasperma* 367, 729, 857, 985  
*Nia* *vibrissa* 172-174, f 173  
*Niesslia* *exilis* 1209  
*Nigrospora* 284, 394, 396; *oryzae* 693; *sphaerica* 693  
*Nodulisporium* 217, 250; *hinnuleum* 693  
*Nowakowskiella* 1022  
*Nummularia* *broomeiana* 661; *hyalospora* 659; *uni-apiculata* 1063  
*Nyssospora* *clavellosa* 278



*Octospora* 972-979; *leucoloma* 972, f 973, f 974, 975, 977, f 977; **subhepatica** 975  
*Odontia* 1069; *archeri* 500; *wrightii* 500, 501, 504  
*Oidium curtisii* 1071  
*Ophiobolus graminis* 1037  
*Ophiostoma* 799; *minuta* 800  
*Orbilina* 1068; *xanthostigma* 1068  
*Orphella* 126  
*Ostracoderma* 221, 223, 226; *epigaeum* 214-240; *pulvinatum* 223  
*Otidea leporina* var *minor* 1209  
*Oudemansiella radicata* 1069  
*Oxydantia* 1211; *chrysorrhiza* 1069  
*Oxyporus populinus* 1210  
*Ozonium* 221

**Pachnodium** 799, 802, f 804; **canum** 802  
*Pachydisca* 161-167; *guernisaci* 163, f 163, f 165

*Pachyella adnata* 181  
*Paecilomyces* 283, 285, 287, 288, 290, 781, 1071, 1143; *byssochlamydoides* 1145; **cinnabarinus** 1144, f 1144, 1145; *crustaceus* 1146; *elegans* 1211; *fulvus* 1145; *leycetanus* 1146; *marquandii* 702, 704, 707; *niveus* 1145; *varioti* 694; *zollerniae* 1145

*Palavascia sphaeromae* 124  
*Panellus stypticus* 1069

*Panus tigrinus* 182-187, f 186; var *squamulosus* 181-187, f 185, f 186; var *tigrinus* 181-187, f 184, f 186;

*Papulaspora brachiata* 667, f 668; *thermophila* 608-615

*Paradiacheopsis rigida* 480  
*Paradidymella* 188, 193  
*Paramoebidium* 122

*Pellicularia chordulata* 410

*Penicillium* 194-198, 283, 287, 288, 289, 290, 394, 395, 396, 398, 399, 400, 402, 403, 404, 405, 406, 407, 408, 410, 598, 603, 691, 695, 696, 697, 698, 702, 704, 707, 760, 766, 767, 792, 848, 1022, 1146, 1158, 1187-1189; *aculeatum* 694; *aurantio-virens* 195, 697; *biforme* 197; *brevi-compactum* 197, 694, 698; *camembertii* 410, 694; *carneo-lutescens* 195; *chrysogenum* 197; *citreo-viride* 694, 696; *citrinum* 197, 396, 400, 401, 406, 407, 408, 694, 696, 697, 698, 699, 1187; *claviforme* 195, 410, 412, 1158; *clavigerum* 195; *commune* 197; *corylophilum* 694; *corymbiferum* 195; *crustosum* 195; *cyaneum* 694; *cyaneo-fulvum* 697; *cyclopium* 171, 194, 195, f 196, 197, 410, 691, 694, 696, 698, 1187; var *echinulatum* 195, 694; *decumbens* 691, 694, 698, 1158-1165; *digitatum* 410; *egyptia-*

*cum* 197; *expansum* 195, 197, 694, 695, 696, 698; *fellutanum* 694; *frequentans* 197, 694, 1132; *funiculosum* 694, 698, 699, 848, 850, 851; *gladioli* 195; *granulatum* 195; *impli-catum* 197, 694; *islandicum* 197, 694, 696; *italicum* 195; *japonicum* 694; *lanosum* 694, 698; *lilacinum* 694, 848, 850, 851; *marneffei* 883; *martensii* 195; *multicolor* 697; *nalgio-ovensii* 694; *nigricans* 694; *notatum* 410, 694, 697; *ochraceum* 195; *olivino-viride* 195; *oxalicum* 697, 729; *palitans* 195, 197, 697; *pseudo-casei* 694; *puberulum* 195, 197; *purpurogenum* 694, 1158; *roqueforti* 694, 698, 848; *rubrum* 694, 696; *solitum* 197; *spinulosum* 410; *steckii* 691, 694, 697, 698; *tardum* 197, 697; *terrestre* 197; *thomii* 694; *urticae* 195, f 196, 197, 694, 696, 698, 1187; *variabile* 694, 698; *vermic-ulatum* 410, 413; *verruculosum* 851; *viridicatum* 194, 195, f 196, 197, 1187; *wortmanni* 197, 697

*Peniophora* 547; sect *Membranaceae* 550; sect *Radicatae* 550; *albobadia* 548; *cheesmanii* 547; *cremea* 548; *cystidiosa* 538; *livida* 506; *nuda* 1210; *rimosissima* 544

*Pennella* 126  
*Perichaena chrysosperma* 1067; *depressa* 1067; *vermicularis* 641, 646

*Periconia cookei* 693; *macrospinoso* 284; **maculans** 667, f 669

*Pestalopezia brunneo-pruinosa* 192; *rhododendri* 190, 192

**Pestalospaeria** 187, 188-194; **concentrica** 188-194, f 189

*Pestalotia* 187, 188, 192, 691, 695, 698; *adusta* 695; *distincta* 1032-1035, f 1933, f 1034; *macrotricha* 190, 191; *mangifolia* 695; *matildae* 695; *microspora* 695; *neglecta* 695; *rhododendri* 695; *sphaerelloides* 695, *sydowiana* 191

*Pestalotiopsis distincta* 1035; *guepini* 191; var *guepini* 191; var *macrotricha* 190; *sydowiana* 191

*Pestalozzia guepini* 190

*Pesotum* 798, 799

*Petriella guttulata* 692, 696, 699

*Pezicula carpinea* 1068

*Peziza* 228, 972; *abundans* 1058, 1061; *annamitica* 181; *atrovinosa* 214-240, f 229; *brunneoatra* 249; *fulva* 230; *leucoloma* 975, 977; *ostracoderma* 214-240, f 224, f 227, f 229; *succosa* 1068; *trachycarpa* 230

*Pezizella vulgaris* 1209

*Phaeohelotium* 584

*Phaeophlebia strinosozonata* 1210



- Phaeostoma sphaerophila* 1209  
*Phallus* 11; *aurantiacus* 315; *indusiatus* 315; *rubicundus* 315  
*Phanerochaete* 547, 550; *sanguinea* 1210  
*Phellinus* 1069; *pini* 1210; *punctatus* 1210  
*Phellodon* 1210; *niger* var *niger* 1210  
*Phialea* 584  
*Phialocephala* 799  
*Phialographium* 798, 799  
*Phialophora* 632; *compactum* 987; *dermatitidis* 948; *pedrosoi* 883, 987; *verrucosa* 883, 987  
*Phlebia* 496; *chrysocrea* 497, f 498, 500, 501, f 501, f 503, 504, 506; *livida* 495-510, f 498, f 501, f 503  
*Pholiota* 26  
*Phoma* 283, 285, 287, 288, 290, 410, 695, 1022; *herbarum* 695, 698; *macrostomum* 695  
*Phomatopora hyalina* 66, 69  
*Phomopsis* 650  
*Phragmidium fusiforme* 1210  
*Phycomyces blakesleeanae* 410, 728, 729  
*Phyllachora cecropiae* 1047; *graminis* 1068  
*Phylloporus rhodoxanthus* 1067, 1069, 1071  
*Phymatotrichopsis omnivora* 215, 795  
*Phymatotrichum* 221, 222; *carnea* 222; *coerulescens* 222; *epigaea* 222; *fulva* 222; *gemellum* 222; *lanea* 222; *omnivorum* 303-310, f 306, f 308; *vulgaris* 222  
*Physalospora cecropiae* 1047; *tucumanensis* 56  
*Physarum* 616, 1005, 1010; *albescens* 625; *crateriforme* 1067, 1221; *decipiens* 1005; *flavicomum* 102; *globuliferum* 1067; *laevisporum* 1010; *leucophaeum* 483; *nucleatum* var *florigerum* 483; *nutans* 483; var *florigerum* 482, 483; var *nutans* 482, 483; var *ovicarpum* 483; *polycephalum* 98-107; *pusillum* 1222; *sessile* 1010; *vernum* 482  
*Physoderma* 552-568, f 554, f 566; *comari* 552, f 553, f 558, 560, 561; *johnsii* 552; *lycopi* f 553, f 567; *maculare* 557; *menthae* 552; *palustris* 552; *vagans* 552, 553, 560  
*Phytophthora* 604, 606, 663-666, 865, 1012-1019; 1022; *arecae* 1012; *botryosa* X *palmivora* 1018; *cactorum* 598, 603, 604, 663, 665, 1012, 1015; *cambivora* 1012, 1016; X *capsici* 1017; X *cinnamomi* 1017; *capsici* 1012, 1013, f 1014, 1016; X *arecae* 1017; X *cryptogea* 1017; X *nicotianae* var *parasitica* 1013; X *palmivora* 1013, 1015, 1017; *cinnamomi* 363, 364, 1012, f 1014, 1015, 1016, 1233, 1234; X *cambivora* 1013, 1015, 1017; X *capsici* 1017; X *cryptogea* 1017; X *drechsleri* 1013, 1015, 1017; X *parasitica* 1018; *citricola* 1012, f 1014, 1015, 1017; *citrophthora* 1012, 1015, 1016; *colocasiae* 1012; *cryptogea* 1012, 1016, *drechsleri* 1013, 1015, 1016; X *cinnamomi* 1017; *erythrosetica* 1013, f 1014, 1015; *fragariae* 1013, 1015; *heveae* 1013, f 1014, 1015; *hibernalis* 1016, 1017; *illicis* 1017, *lateralis* 1013, 1015; *megasperma* var *sojae* 664, *meadii* 1013, 1015, 1016; *megasperma* 1013, 1015, 1017; var *sojae* 1013, f 1014, 1015; var *parasitica* 1013, 1016; X *citrophthora* 1013; *palmivora* 421, 871, 1013, f 1014, 1015, 1016; X *capsici* 1017; *parasitica* 665, f 1014, 1015, 1016, 1029; var *nicotianae* 598, 603, 664, 665; X *citrophthora* 1015; *syringae* 1013, 1015, 1017  
*Pichia membranaefaciens* 410  
*Picoa juniperi* 742  
*Pilobolus crystallinus* 66, 69  
*Piptocephalis virginiana* 382-391, f 384, f 385, f 386, 1129-1142, 1148-1157; *xenophila* 1129, 1132  
*Piptoporus betulinus* 1210  
*Pisolithus tinctorius* 168, 952-960  
*Pistillaria micans* 141; *setipes* 141  
*Pithya cupresina* 250  
*Pithomyces* 1022; *chartarum* 1211  
*Platyglœa decipiens* 997  
*Plectania nannfeldtii* 250  
*Pleospora obtusa* 693, 699  
*Pleuraea* 861  
*Pleurotus* 1235; *corticatus* 1236; *cystidiosus* 1200-1205, f 1202, 1235-1238, f 1237; *ostreatus* 832, 1069; *squarrosulus* 314; *tuber-regium* 314  
*Plicaria* 228, 229; *fulva* 220, 223, 226, 228, 230, 233  
*Plicatura aurea* 1210  
*Plicaturopsis crispa* 1210  
*Pluteus* 1069; *cervinus* 1069  
*Poculum* 163, 1071-1075; *cupuloides* 1072, f 1073, f 1074; *juncorum* 1071; *ruborum* 1071; *subcinnabarinum* 579, f 580, f 582, f 583  
*Podaxis* 11  
*Podoscypha involuta* 548  
*Podosordaria* 66, 69  
*Podospora* 68, 71, 861; *anserina* 66, 69 *arizonensis* 1123; *curvicolla* 855; *curvispora* 854, 855, 856, 857; *dakotensis* 855; *decipiens* 66, 69, 70; *glutinans* 854, 855, 856, 857, 858; *hyalopilosa* 66; *pectinata* 66, 67, 69; *setosa* 860; *tetraspora* 67, 68, 855; *vesticola* 67, 69, 855, 856, 857, 858

- Polyactis* 217, 220, 221, 222; *crystallina* 218; *epigaea* 220; *fulva* 217, 231  
*Polyporus* 1069; *anceps* 716; *arcularius* 1069; *biennis* 1200; *brumalis* 1174; *rhpidium* 1069; *schweinitzii* 366; *versicolor* 411  
*Polystictus versicolor* 419  
*Poria* 1069; *carneopallens* 549; *europaea* 549, 1210; *medulla-panis* 1210; *pan-nocincta* 1210; *rhodella* 1210  
*Poronia punctata* 661  
*Porostereum* 549; *phellodendri* 543  
*Preussia isomera* 66, 67  
*Protomyces menyanthis* 561; *vagans* 561  
*Protophysarum* 33; *phloiogenum* 32-37, 33, f 35, 641, 646, 647  
*Protosteliopsis* 1100  
*Prototheca* 343, 351, 353; *ciferrii* 353; *moriformis* 353; *portoricensis* 411; *var trisporus* 411; *wickerhamii* 353; *zopfii* 351, 353  
*Prototrichia metallica* 458; *schröteri* 458  
*Psathyrella atroumbonata* 314  
*Pseudohydnum gelatinosum* 999, 1210  
*Pseudomassaria lycopodina* 1209  
*Pseudonocardia thermophila* 782, 788, 790, 791, 793, 794  
*Pseudostypella* 155; *nothofagi* 155  
*Pseudotomentella tristis* 1210  
*Psilocybe coprophila* 67, 69  
*Pucciniastrum agrimoniae* 1069, 1210; *hydrangeae* 1069  
*Pteromaktron* 124, 126; *protrudens* 124  
*Pterula* 141  
*Puccinia carborcensis* 175; *franseriae* 175; *seriphidii* 175; *similis* 175, 176; *splendens* 175  
*Pullularia pullulans* 342  
*Pyronema* 1068; *confluens* 1119; *domesticum* 1119-1127, f 1122, f 1125; *omphalodes* 1119, 1120, 1125, 1126  
*Pythiacystis citrophthora* 365  
*Pythium* 363, 663-666, 865, 1022; *aphanidermatum* 363, 364, 644; *cactorum* 664; *dissotocum* 664, 665; *heterothallicum* 664, 665; *irregulare* 702, 704, 705; *periplocum* 663, 664, 665, 666; *polytylum* 664; *prolatum* 664; *splendens* 363, 364, 664; *sylvaticum* 664, 665, 666  
*Ramaria* 1069; *apiculata* 1210; *furiura-ceum* 1210; *gracilis* 1069; *invalii* 1210; *murrillii* 1069; *ochraceovirens* 1210  
*Ravenelia amazonica* 436, 437; *acaciae-micranthae* 1042; *decidua* 1043; *farlowiana* 1042; *juruiensis* 436, 437; *parahybana* 436, 437; *pileolarioides* 436, 437; *pringlei* 1043; *thorn-beriana* 1043; *versatilis* 1042, 1043; *vilis* 436, 437  
*Resinicum bicolor* 1210  
*Reticularia jurana* 451, 452; *lycoperdon* 452; *splendens* 452; *var jurana* 452  
*Rhacodium* 221  
*Rhinocladia* 249, 693, 800  
*Rhinotrichella* 249  
*Rhinotrichum* 223  
*Rhizoctonia* 418, 1059; *solani* 362-366, 702, 704, 705  
*Rhizopogon* 742; *luteolus* 168; *nigrescens* 742; *pachyphloes* 742; *parksii* 743, 744, 746; *rubescens* 742  
*Rhizopus* 197, 394, 395, 396, 397, 398, 399, 400, 407, 691, 695, 698, 871, 883; *arrhizus* 692, 886; *chinensis* 398, 730; *circinans* 866; *nigricans* 692, 813; *oryzae* 692, 695, 864, 865, 866, f 867, 868, f 869; *stolonifer* 871  
*Rhodotorula* 284, 344, 349, 350, 351, 355, 358, 360, 1022; *glutinis* 360; *var glutinis* 344, 349, 351, 355, 356; *minuta* *var minuta* 351; *pallida* 351; *rubra* 351, 354  
*Rhodotus palmatus* 1069  
*Rhopaloconidium asiminae* 1071  
*Rosellinia arctispora* 860; *calospora* 860; *subiculata* 1068  
*Russula* 1, 1209, 1211; *subsect* *Nigricantes* 428-434; *adusta* 433; *compacta* 1069; *densifolia* 434; *dis-simulans* 433, 434; *emetica* 1069; *foetens* 1069; *fragilis* 1210; *imitatrix* f 429, 429, f 431, 432, f 433, 434; *nigricans* 433; *olivacea* 1069; *pecti-nata* 1069; *subnigricans* 434; *variata* 1069; *vesca* 1069; *xerampelina* 1069  
*Rutstroemia* 163, 320, 330, 569, 1071; *calopus* 1071, 1075 *cuniculi* 326; *guernisacii* 163; *longiasca* 1072; *longipes* 579, 1068; *luteovirescens* 579; *macrospora* 1068, 1071; *petio-lorum* 1071; *setulata* 1071; *sydo-wiana* 1071  
*Ryparobius* 241, 253  
*Saccharomyces* 349, 757; *cerevisiae* 339, 411, 795, 942; *kluveri* 352; *micro-ellipsodes* 411  
*Saccharomycodes ludwigii* 942  
*Saccharomycopsis* 343; *fibuligera* 352, 360; *kluveri* 360  
*Saccobolus* 68; *citrinus* 855; *globuliferel-lus* 67, 854, 855, 856; *thaxteri* 855; *truncatus* 67, 68, 69  
*Saprolegnia* f 426, 425-428; 1022, 1192-1197  
*Sarcinella* 1037  
*Sarcoscypha coccinea* 250; *occidentalis* 1068  
*Sarcosoma lathahensis* 250  
*Schizonella* 274

- Schizophyllum commune* 313, 412, 1069, 1174, 1185, 1200-1205  
*Schizoplasmodiopsis* 1087-1100; **micro-punctata** 1088, 1097, 1098, f 1099, 1100; *pseudoendospora* 1087, 1088, 1089; **reticulata** 1088, 1089, f 1090, 1091, f 1092, 1093; **vulgare** 1088, 1092, 1093, f 1094, 1095, f 1096  
*Schizopora paradoxa* 1069  
*Schizosaccharomyces* 757; *liquefaciens* 749; *pombe* 748-759, f 750, 942, 948  
*Schroeteria* 274  
*Scleroderma verrucosum* 1069  
*Sclerotinia* 89, 900; *fructigena* 419; *sclerotiorum* 89-97, f 91, f 92, f 93, 363, 364; *scutellata* 1068, 1071, 1209  
*Sclerotium cepivorum* 409; *oryzae* 280, 288; *colfsii* 363, 364  
*Scopulariopsis* 691, 696, 766; *brevicaulis* 883, 885; *koningii* 693  
*Scutellinia* 261; *scutellata* 260  
*Scutiger cristata* 1069  
*Scytinostroma galactinum* 1210  
*Sebacina* 154; subgen *Bourdotia* 905; *caesiocinerea* 915; *cinerea* 911; *cinerella* 914; *cremea* 909, 910; *deminuta* 917; *epigaea* 155, 1210; *eyrei* 917; *fusispora* 149; *galzinii* 905, 908; *globospora* 152, 155; *gloeocystidiata* 911; *microbasidia* 147, 148; *murina* 911; *petiolata* 905, 906, 908; *poletii* 920; *pululahuana* 908; *stratosa* 914  
*Seimatopodium* 188  
*Seiridium* 188; *viburni* 188  
*Sepedonium chrysospermum* 1071, 1211  
*Septoria aceris* 1071; *conspicua* 1071  
*Serpula lacrimans* 303, 304, 308  
*Simulium* 126  
*Sistotrema brinkmannii* 1210  
*Smittium* 125, 126  
*Sordaria* 49, 861; *carbonaria* 860; *fimicola* 45-55, 67, 70, 728, 730, 854, 855, 856; *humana* 855; *macrospora* 45, 53, 67; *ustorum* 860  
**Sorodiplophrys** 873, 878; **stercorea** 873, f 874, 875, f 876, 877, 878  
*Spartiella* 126  
*Spathularia flavida* 1209  
*Spheceloma* 901; *annajenkinsii* 903; *menthae* 901; *morindae* 901; *murayae* 901; *perseae* 901; *pirinum* 901; *poinsettiae* 901; *rosarum* 900; *violae* 901  
*Sphaeria carbonaria* 860; *septula* 860  
*Sphaerosporium lignatile* 1071  
*Sphaerulina pedicellata* 632, 1035-1038  
*Spathulospora* 629-637; *adelpha* 634, 635, 636, 637; *antarctica* 635, 636; *calva* 634, 635, 636; *lanata* 629, f 630, f 631, 632, f 633, 634, 636; *phycophila* 636  
*Sporobolomyces roseus* 411; *salmonicolor* 351  
*Sporodinia grandis* 411  
*Sporormia* 380; *fimetaria* 67, 69  
*Sporormiella* 68, 71; *affinis* 67; *australis* 66, 67, 69; *cymatomera* 67, 69; *intermedia* 67, 69; *lageniformis* 67, 69, 70, 855; *leporina* 855; *minima* 67, 68, 69, 70, 855; *pilosella* 854, 855, 856, 857; *vexans* 855  
*Sporothrix* 249, 716, 799, 805; *schenckii* 987; *var luriei* 987  
*Sporotrichum* 158, 221, 223, 781; *fulvum* 216, 217, 223, 231; *ollare* 217; *roseum* 217  
*Stachybotrys* 763, 766, 767; *atra* 284, 287, 288, 761  
*Stachylina* 125, 126  
*Stagonospora paspali* 1071  
*Steccherinum* 549, 550; *fuscostrum* 1210; *ochraceum* 1069  
*Stemonitis axifera* 465, 1067; *ferruginea* *var violacea* 465; *fusca* 738, 739; *var fusca* 465, 466; *var papillosa* 465, 466; *herbatica* 417; *smithii* 465; *var smithii* 465; *virginiensis* 646; *var rubiginosa* 466; *var virginensis* 466  
*Stemphylium botryosum* 284  
*Sterellum rufum* 1210  
*Stereum* 549, 1067; *cinerascens* 536, 1069; *crassum* 537, 539; *earlei* 547; *friesii* 541; *frustulatum* 411; *heterospora* 548; *heterosporum* 547; *hirsulum* 411; *hirsutum* 1069; *ostrea* 1069; *papyrinum* 530, 542; *sanguinolentum* 1210; *schomburgkii* 538; *spadiceum* 545; *spondheimeri* 545, 546; *spumeum* 531, 548; *striatum* 1069; *sulcatum* 547; *taxodii* 547; *umbrino-alutaceum* 530, 546  
*Stictis hydrangeae* 1068  
*Stilbella* 1211; *thermophila* 782, 786, 787, 789, 791  
*Stilbocrea jenkiana* 903  
*Stipella* 126  
*Strattonia carbonaria* 860; *minor* 860  
*Streptomyces rectus* 782, 788, 790, 794; *thermoviolaceus* 782, 793; *subsp apingens* 782, 793, 794; *thermovulgaris* 793  
*Strobilomyces* 1071; *floccopus* 1069  
*Stypella* 155; *minor* 155; *papillata* 155  
*Suillus cothurnatus* 952-960; *granulatus* 1210; *pictus* 1210  
**Syamithabeeja** 1213; **girisia** 1214, f 1216, f 1217  
*Synandromyces* 633  
*Syncephalastrum racemosum* 396, 397, 692  
*Syncephalis* 863, 869, 871; *adunca* 869; **californica** 863, 864, 865, 866, f 867,

- 868, f 869, 870, 871; cordata 863;  
cornu 868, 869, 870; curvata 869,  
870; nigricans 870; reflexa 870  
Synchytrium decipiens 1067  
Stypella minor 999  
Syzygites megalocarpus 1067
- Talaromyces 697, 792, 1145, 1146; bys-  
sochlamydoides 1145; dupontii 158;  
flavus var flavus 692, 699; leycet-  
tanus 1146; thermophilus 781, 782,  
785, 786, 787, 789, 791, 794, 1223-  
1228; trachyspermus 692, 699;  
vermiculatus 1146  
Terana chrysocreas 497; livida 505  
Termitomyces 315; clypeatus 313; glob-  
ulus 314, 316; mammiformis 313;  
microcarpus 314; robustus 313, 316,  
317, 318  
Thamnidium elegans 411, 866  
Thamnostylum piriforme 866  
Thecotheus 241-252; cinereus 241, 242,  
f 244, f 245, 246, 247, 248, 249; pel-  
letieri 241, 242, f 244, f 245, f 246,  
247, 248, 249; setisperma 241  
Thelebolus 261  
Thelephora 1069; caryophyllea 1069,  
1210; cinerascens 530, 536; cinerea  
911; crassa 530, 537; friesii 541;  
fulva 538; gausapatum 545; livida  
504; palmata 1069, 1210; papyracea  
530, 541; regularis 1069; spadicea  
545; terrestris 168, 1210; vinosa 530  
Thermoactinomyces glaucus 782, 788,  
790, 791, 794; thalophilus 782, 794;  
vulgaris 782, 788, 790, 791, 793, 794  
Thermoascus 970; aurantiacus 158, f 159,  
781, 782, 785, 786, 787, 789, 791, 792,  
793, 795, 962, 965  
Thermomyces 970; lanuginosa 158, 792,  
961-971, f 964, f 967, f 968; stellatus  
961, 962, 965, f 966, 969  
Thermomonospora curvata 782, 788, 790,  
793, 794; bispora 782; polyspora 788,  
790, 791, 793, 794  
Thielavia albomyces 158; sepedonium  
1125  
Thielaviopsis 799  
Thraustochytrium 177, 179  
Tieghemomyces parasiticus 1129-1142,  
f 1139  
Tilachlidium pinnatum 1211  
Tomentella 218, 1210; atrorubra 1211;  
bryophila 1211; ferruginea 1211;  
lateritia 1211; pallidofulva 1069;  
ramosissima 1211; ruttneri 1211;  
violaceofusca 1211  
Torula 666-671; brachiata 667; herba-  
rum 695; maculans 667, 668; macu-  
lans var biformis 667, 668; resinae  
669, 671; thermophila 782, 786, 787,  
789
- Torulopsis candida 351  
Trametes 1069  
Tranzschelia cohaesa 176; tucsonensis  
176  
Trechispora pallidoaurantiaca 1211; po-  
lyporoidea 1211; vaga 1211  
Tremella 1071; albescens 149; compacta  
999; exigua 152, 155; fimbriata 999;  
fuciformis 999; fusispora 147, 149,  
151, 155; globospora 152, 155;  
lutescens 999, 1071; mesenterica  
1185  
Tremellodendron 155; candidum 1071;  
schweinitzii 1071  
Tricharia cretae 260  
Trichia affinis 459; botrytis var aurispora  
460; botrytis var botrytis 460; con-  
torta 461; var crenulata 460; var  
engadinensis 460; crenulata 460;  
decipiens var decipiens 461, 462; var  
gracilis 461; fallax var gracilis 461;  
var olivacea 462; favogenia 1067;  
lutescens var auronitens 462; var  
lutescens 462; persimilis 461; scabra  
var lutea 462, 463; scabra var scabra  
463; varia var aurata 463; var varia  
463  
Trichobolus 253  
Trichodelitschia bisporula 67, 69  
Trichoderma 284, 394, 395, 396, 398, 399,  
400, 401, 406, 407, 767, 1022;  
koningii 694; viride 598, 603, 604,  
697  
Tricholoma 75-82, 1211; subgen Tricho-  
loma 75; sect Genuina stirps Auran-  
tiaca 81; sect Tricholoma 75;  
aurantium 81; **cheilolaminum** 76,  
f 77, f 79; cystidiosum 76; flavo-  
virens 78, 1211; var albipes 78;  
leucophyllum f 77, 78, f 79; sejun-  
ctum 76; virgatum 75, 76, 77, 80;  
virgatum var **vinaceum** 79; **zelleri** 80  
Tricholomopsis bella 1211; platyphylla  
1071  
Trichophaea 1060; abundans 1058-1061,  
f 1059  
Trichophyton 708; ajelloi 883; concen-  
tricum 883; equinum 883; menta-  
grophytes 702, 707, 708, 883, 884;  
var asteroides 412; rubrum 411, 702,  
707, 708, 884; schoenleinii 884; ter-  
restre 884; tonsurans 884, 885  
Trichosphaeria 1068  
Trichosporon 1118; capitatum 351; fer-  
mentans 351  
Trichothecium roseum 694, 1071  
Trichozygospora 126  
Trimmatostroma 1211  
Tripterospora erostrata 66, 69  
Tritirachium brumptii 411; cinnamo-  
meum 1211  
Truncatella 188

- Truncocolumella citrina* var *citrina* 743, 744, 746  
*Tuber* 934; *aestivum* 742; *brumale* 742; *melanosporum* 742, 744; *requieni* 742  
*Tubeufia cerea* 1209; *helicoma* 888  
*Tubifera ferruginosa* var *complanata* 451; var *ferruginosa* 451  
*Tulostoma* 588  
*Tylopilus felleus* 673  
*Typhula* 128; *erythropus* 128-146, f 134; *gyrans* 130, 132; *idahoensis* 132, 133; *incarnata* 132, 133, 141; *intermedia* 132; *itoana* 132; *phacorrhiza* 132; *sclerotoides* 130, 136, 139, 141; *trifolii* 132, 133, 136; *variabilis* 132, 133, 136  
*Tyromyces* 1071; *semipileatus* 1071, 1211  
*Uncinula adunca* 1209  
*Uredo* 436; *amazonica* 437; *eichhorniae* 653-657, f 655, 656; *juruenensis* 437; *vilis* 437  
*Urnula craterium* 250  
*Urocystis* 274  
*Uromyces* 390; *deciduus* 1043; *oblongisporus* 175, 176; *pontederiae* 653, 654, f 655, 656; *versatilis* 1042, 1043  
*Ustilago enneapogonis* 1229-1233, f 1230, f 1231; *maydis* 598, 603, 604; *striiformis* f *poae-pratensis* 1232  
*Ustulina deusta* 860  
*Velutaria rufo-olivacea* 192  
*Verticicladiella* 798, 799  
*Verticicladium* 250  
*Verticillium* 284, 1022; *coccorum* 851  
*Volvarella esculenta* 312; *volvacea* 312  
*Wallemia* 284; *sebi* 694  
*Whetzelinia sclerotiorum* 90  
*Wilczekia* 484; *evelinae* 483, 484  
*Xenosporella* 888  
*Xenosporium* 888, 889; *berkeleyi* 889, 890  
*Xeromphalina campanella* 1211  
*Xylaria* 692, 699, 1066; *comosa* 1066; *tentacula* 1066  
*Xylosphaera hypoxylon* 860; *longipes* 860  
*Zelleromyces* 1176; *cinnabarinus* 1176-1181, f 1179; *gilkeyae* 743, 744, 746, 747  
*Zygopleurage zygospora* 67, 69, 70  
*Zygopolaris* 120-122-127; *epheMERIDA-rum* 120-122-127, f 121, f 123  
*Zygorhynchus* 411; *moelleri* 866

## HOST INDEX

The Host Index includes generic names of hosts and those fungi which are definitely indicated in the text as occurring on a host.

- Abies*  
*Basidiodendron caesiocinereum* 916; *cinereum* 914; *eyrei* 919  
*Gloeoporus dichrous* 1210  
*Hirschioporus laricinus* 1210  
*Trichia crenulata* 460  
*Acacia*  
*Ravenelia pringlei* 1043; *thornberiana* 1043; *versatilis* 1042  
*Acer*  
*Helicoma proliferans* 888  
*Lanzia rufescens* 574  
*Oxyporus populinus* 1210  
*Septoria aceris* 1071  
*Actinidia*  
*Diaporthe actinidiae* 650  
*Aesculus*  
*Botrytis spectabilis* 219  
*Agrimonia*  
*Pucciniastrum agrimoniae* 1069, 1210  
*Agropyron*  
*Physoderma* 557  
*Alisma*  
*Physoderma maculare* 557  
*Allium*  
*Chronelosporium ochraceum* 234  
*Alnus*  
*Basidiodendron caesiocinereum* 916; *eyrei* 919  
*Lanzia rufescens* 574  
*Phlebia livida* 505, 506  
*Ambrosia*  
*Puccinia franseriae* 175  
*Amelanchier*  
*Apiosporina collinsii* 1208  
*Amphicarpa*  
*Cerotelium tanakae* 1068  
*Synchytrium decipiens* 1067  
*Anemone*  
*Tranzschelia tucsonensis* 176

- Apiosporina*  
*Phaeostoma sphaerophila* 1209  
*Aralia*  
*Mundkurella mossii* 275  
*Nyssopsora clavellosa* 278  
*Artemisia*  
*Puccinia similis* 175  
*Asclepias*  
*Physoderma* 552, 557  
*Asimina*  
*Rhopaloconidium asiminae* 1071  
*Baetis* (animal)  
*Zygopolaris ephemeridarum* 122  
*Ballia*  
*Spathulospora adelpha* 634; *antartica* 635; *calva* 635; *lanata* 629; *phycophila* 636  
*Betula*  
*Basidioidendron caesiocinereum* 916; *cinereum* 913; *eyrei* 919  
*Diatrype stigma* 1208  
*Encoelia furfuracea* 1208  
*Hirschioporus pargamensis* 1210  
*Hyalopesotum intricitrina* 802  
*Phlebia chrysocrea* 500  
*Piptoporus betulinus* 1210  
*Plicaturopsis crispa* 1210  
*Bjerkandera*  
*Fusarium fusarioides* 1211  
*Blakeslea*  
*Syncephalis californica* 866  
*Boletus*  
*Sepedonium chrysospermum* 1071  
*Canis* (animal)  
*Nannizzia grubyia* 434  
*Cannabis*  
*Botrysphaeria marconii* 900  
*Carpinus*  
*Botrytis spectabilis* 219  
*Conioscypha lignicola* 424  
*Capsicum*  
*Glomus mosseae* 1190  
*Carica*  
*Gigaspora calospora* 1039; *heterogama* 1039  
*Glomus macrocarpus* var. *macrocarpus* 1039  
*Carpinus*  
*Bourdottia galzinii* 906  
*Stereum striatum* 1069  
*Carya*  
*Irpex lacteus* 1069  
*Steccherinum ochraceum* 1069  
*Cassia*  
*Fusarium* 711  
*Castanea*  
*Phlebia chrysocrea* 499  
*Castanopsis*  
*Pestalotia distincta* 1032  
*Celtis*  
*Irpex lacteus* 1069  
*Phellinus* 1069  
*Cercis*  
*Ganoderma sessile* 1066, 1068  
*Chironomus* (animal)  
*Catenaria spinosa* 265  
*Choanephora*  
*Piptocephalis virginiana* 382, 1129, 1148  
*Syncephalis californica* 866  
*Tieghemomyces parasiticus* 1129  
*Cicer*  
*Fusarium* 710  
*Cinchona*  
*Elinoë cinchonae* 901  
*Citrus*  
*Elinoë australis* 901; *fawcetti* 901  
*Cnidium*  
*Physoderma vagans* 561  
*Cocos*  
*Amerobotryum indicum* 1212  
*Coriolus*  
*Eleutheromyella mycophila* 1211;  
*Eleutheromyces subulatus* 1211  
*Cornus*  
*Badhamia rugulosa* 1219  
*Corylus*  
*Basidioidendron eyrei* 919  
*Chromelosporium carneum* 234  
*Crepidotus*  
*Hypocreopsis tremellicola* 1068  
*Diatrype*  
*Nectria episphaeria* 1068  
*Tomentella pallidofulva* 1069  
*Tubeufia cerea* 1209  
*Drosophila* (animal)  
*Dipodascus uninucleatus* 511  
*Eichhornia*  
*Uredo eichhorniae* 653  
*Uromyces pontederiae* 653  
*Elaeocarpus*  
*Poculum subcinnabarinum* 583  
*Elaphomyces*  
*Cordyceps ophioglossoides* 1208  
*Elymus*  
*Phyllachora graminis* 1068  
*Enneapogon*  
*Ustilago enneapogonis* 1229  
*Ephemerella* (animal)  
*Zygopolaris ephemeridarum* 122  
*Erythrina*  
*Schizoplasmodiopsis micropunctata* 1097  
*Eugenia*  
*Efibulobasidium rolleyi* 152  
*Euonymus*  
*Crepidotus fusiporus* 1068  
*Hypoxylon* 1068

- Microsphaera euonymi* 1068  
*Stereum cinerascens* 1069  
**Exidia**  
*Hypocrea sulphurea* 1068  
**Fagus**  
*Bourdotia galzinii* 906  
*Hypoxylon fragiforme* 1068  
*Phlebia livida* 506  
**Felis (animal)**  
*Microsporium vanbreuseghemii* 435  
**Franseria**  
*Puccinia franseriae* 175  
**Fraxinus**  
*Bourdotia galzinii* 906  
*Ceratocystis fraxinopennsylvanica* 720  
**Gilbertella**  
*Syncephalis californica* 866  
**Gleditsia**  
*Phlebia chrysocrea* 504  
**Glycine**  
*Fusarium* 711  
*Gigaspora calospora* 1192  
**Griselinia**  
*Lanzia griseliniae* 579  
**Helvella**  
*Hypomyces cervinigenus* 1209  
*Mortierella ramanniana* 1208  
*Mycogone cervina* 1211  
**Hevea**  
*Hypoxylon glycyrrhiza* 659  
**Hydrangea**  
*Puccinastrum hydrangeae* 1069  
*Stictis hydrangeae* 1068  
**Hydnellum**  
*Collybia tuberosa* 1209  
**Hypomyces**  
*Paecilomyces elegans* 1211  
*Pithomyces chartarum* 1211  
**Ips (animal)**  
*Ceratocystis minuta-bicolor* 800  
**Iridomyrmex (animal)**  
*Cunninghamella echinulata* 702  
*Fusarium oxysporum* 702  
*Gliocladium deliquescens* 702  
*Paecilomyces marquandii* 702  
*Penicillium* 702  
**Juncus**  
*Effibulobasidium albescens* 151  
**Juniperus**  
*Badhamia rugulosa* 1219  
*Calocera cornea* 1068  
*Conoplea juniperi* var *juniperi* 1071  
*Dendrothele nivosa* 1068  
*Fomitopsis cajanderi* 1068  
*Polyporus* 1069  
*Trametes* 1069  
**Lactarius**  
*Hypomyces lactifluorum* 1209  
**Larix**  
*Basidioidendron eyrei* 919  
**Lathyrus**  
*Microsphaera penicillata* 1209  
**Liquidambar**  
*Phlebia chrysocrea* 499  
**Liriodendron**  
*Phlebia chrysocrea* 500  
**Lobelia**  
*Physoderma* 552, 563  
**Lupinus**  
*Fusarium* 711  
**Lycopodium**  
*Mollisia* 1209  
*Niesslia exilis* 1209  
*Pseudomassaria lycopodina* 1209  
**Lycopus**  
*Physoderma lycopi* 567  
**Malus**  
*Badhamia rugulosa* 1219  
**Medicago**  
*Fusarium* 711  
**Melicytus**  
*Basidioidendron cremeum* 910  
**Mimulus**  
*Physoderma* 552, 559, 561  
**Morus**  
*Sclerotinia* 900  
**Mucor**  
*Syncephalis californica* 866  
**Nothofagus**  
*Poculum subcinnabarinum* 583  
**Oryzomys (animal)**  
*Microsporium amazonicum* 1109  
**Ostrya**  
*Badhamia rugulosa* 1219  
**Oxydantia**  
*Tritirachium cinnamomeum* 1211  
**Paspalum**  
*Gigaspora coralloidea* 1190; hetero-  
gamma 1190  
**Penicillium**  
*Piptocephalis xenophila* 1132  
**Persea**  
*Leptosphaeria* 191  
**Phaseolus**  
*Elsinoë phaseoli* 900  
*Fusarium* 710, 711  
**Phylloporus**  
*Sepedonium chrysospermum* 1071  
*Syzygites megalocarpus* 1067  
**Phytolacca**  
*Effibulobasidium albescens* 149  
**Picea**  
*Badhamia ovispora* 1004



- Graphilbum sparsum* 801  
*Phlebia livida* 505  
**Pinus**  
*Basidioidendron caesiocinereum* 916;  
     *cinereum* 913  
*Ceratocystis ponderosae* 716  
*Gloeophyllum sepiarium* 1210  
*Hirschioporus laricinus* 1210  
*Pachnodium canum* 805  
*Phlebia livida* 505, 506  
*Polyporus anceps* 716  
*Thelephora terrestris* 1210  
**Pipetadenia**  
*Uredo vilis* 437  
**Pisum**  
*Fusarium* 710, 711  
**Pithecellobium**  
*Ravenelia pileolarioides* 436, 437  
*Uredo amazonica* 437  
*Uredo juruensis* 437  
**Pontederia**  
*Uromyces pontederiae* 653  
**Populus**  
*Badhamia ovispora* 1002  
*Basidioidendron caesiocinereum* 916;  
     *cinereum* 913; *eyrei* 919  
*Fomes fomentarius* 1209  
*Hirschioporus pargamenus* 1210  
*Phaeophlebia strigosozonata* 1210  
*Sterellum rufum* 1210  
*Uncinula adunca* 1209  
**Potentilla**  
*Physoderma* 552  
*Physoderma comari* 559  
*Protomyces menyanthidis* 561  
**Proechimys** (animal)  
*Microsporium amazonicum* 1109  
**Prunus**  
*Apiosporina morbosa* 1208  
*Phlebia chrysocrea* 500, 504  
**Pteridium**  
*Cryptomycina pteridis* 1208  
**Quercus**  
*Chromelosporium ochraceum* 234  
*Efibulobasidium rolleyi* 152  
*Ganderma lobatum* 1068  
*Hirschioporus pargamenus* 1069  
*Inonotus dryadeus* 1069  
*Phlebia chrysocrea* 499, 500  
*Polyactis crystallina* 218  
*Tyromyces semipileatus* 1071  
**Ranunculus**  
*Physoderma* 552  
**Ratufa** (animal)  
*Nannizzia grubyia* 434  
**Rhizopus**  
*Syncephalis californica* 866  
**Rhododendron**  
*Pestalotia concentrica* 190, 192  
**Rhus**  
*Irpex lacteus* 1069  
*Schizopora paradoxa* 1069  
*Schizophyllum commune* 1069  
**Robinia**  
*Phlebia chrysocrea* 500  
**Rorippa**  
*Physoderma* 552, 565  
**Rosa**  
*Diaporthe umbrina* 900  
*Phragmidium fusiforme* 1210  
*Sphaceloma rosarum* 900  
**Rubus**  
*Helotium separabile* 1209  
**Rumex**  
*Efibulobasidium albescens* 149  
**Russula**  
*Asterophora lycoperdoides* 1209  
*Cladobotryum verticillatum* 1211  
*Hypomyces luteovirens* 1209  
**Rutstroemia**  
*Hansfordia grisella* 1071  
**Salix**  
*Basidioidendron cremeum* 910  
*Chromelosporium ochraceum* 218  
*Cystoderma granulosum* 1209  
*Lanzia rufescens* 574  
**Sassafras**  
*Phlebia chrysocrea* 499  
**Scutellinia**  
*Paecilomyces* 1071  
**Sequoiadendron**  
*Pestalotia palmarum* 191  
**Sorbus**  
*Micropera sorbi* 1211  
**Sphagnum**  
*Diderma simplex* var. *echinulatum*  
     487  
**Spartina**  
*Sphaerulina pedicellata* 1035  
**Steironema**  
*Septoria conspicua* 1071  
**Stereum**  
*Herpotrichiella spinifera* 1067  
**Strobilomyces**  
*Sepedonium chrysospermum* 1071  
**Symphoricarpos**  
*Periconia brachiata* 667  
*Torula brachiata* 667  
**Thalictrum**  
*Erysiphe aquilegiae* 1209  
*Helotium scutula* 1209  
**Thamnidium**  
*Syncephalis californica* 866  
**Thamnostylum**  
*Syncephalis californica* 866  
**Triodia**  
*Stagonospora paspali* 1071  
**Tsuga**  
*Phlebia livida* 505  
**Typha**  
*Galerina hypnorum* 879

## Ulmus

- Efibulobasidium rolleyi 152
- Protophysarum phloiogenum 33

## Vigna

- Fusarium 710, 711; oxysporum f sp vandzeiae 714

## Vitis

- Badhamia rugulosa 1219

## Voandzeia

- Fusarium 709, 710, 711; oxysporum f sp voandzeiae 714

## Yucca

- Periconia maculans 667
- Torula maculans 667

## Zygorhynchus

- Syncephalis californica 866

